



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

NATIONAL TECHNICAL SYSTEMS (NTS) - LONGMONT
1736 Vista View Drive
Longmont, CO 80504-5242
Mr. Eric Loucks Phone: 303 776 7249

ELECTRICAL

Valid To: May 31, 2018

Certificate Number: 0214.43

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following Electromagnetic Compatibility/Interference (EMC/EMI), Lightning, Transient, Surge, and Product Safety tests:

Test Technology:

Test Method(s)^{1,2:}

Emissions

Radiated and Conducted

CFR 47 FCC, Parts 15B (using ANSI C63.4: 2014), 15C (using ANSI C63.10:2013), and 18 (using MP-5:1986); CISPR 32, Ed. 1 (2012-01); EN 55032:2012/AC:2013; AS/NZS CISPR 22 (2002); AS/NZS 3548 (1997); AS/NZS CISPR 14-1 (2003); IEC/CISPR 14-1, Ed. 4 (2003); IEC 61000-3-12, Ed. 2.0 (2011); EN 61000-3-12 (2011); IEC 61000-6-1, Ed. 2 (2005-03); IEC 61000-6-2, Ed. 2.0 (2005-01); IEC 61000-6-3 (1996); EN 61000-6-3 (2001) + A1 (2004); EN 61000-6-4 (2007); KN 32:2015 (Annex 11); KN 22; KN 11

Harmonics

IEC 61000-3-2, Ed. 2.2 (2004-11); IEC 61000-3-2, Ed. 3.0 (2005) + A1 (2008) + A2 (2009); IEC 61000-3-2, Ed. 4.0 (2014-05)

Flicker

IEC 61000-3-3, Ed. 1.1 (2002-03); EN 61000-3-3 + A1 (2001); IEC 61000-3-3, Ed. 1.1 (2003) + A2 (2005); IEC 61000-3-3, Ed. 3.0 (2013-05)

Immunity

Electrostatic Discharge (ESD)

IEC 61000-4-2 (2001); EN 61000-4-2 (2001) + A2 (2001); EN 61000-4-2 + A1 (1998) + A2 (2001); IEC 61000-4-2, Ed. 2.0 (2008-12); EN 61000-4-2 (2009-05); KN 61000-4-2; KN 61000-4-2 (2008-5); KN 61000-4-2 (Annex 1-1)

Radiated

IEC/EN 61000-4-3, Ed. 2.1 (2002) + A1 (2002); EN 61000-4-3; IEC 61000-4-3 (1995) + A1 (1998) + A2 (2000); EN 61000-4-3 (2002) + A1 (2002); IEC 61000-4-3, Ed. 3.0 (2006-02) + A1 (2007) + A2 (2010); EN 61000-4-3 (2006) + A1 (2008) + A2 (2010); KN 61000-4-3; KN 61000-4-3 (2008-5); KN 61000-4-3 (Annex 1-2)

(A2LA Cert. No. 0214.43) Revised 02/28/2018

Page 1 of 4

Test Technology:**Test Method(s)^{1,2:}*****Immunity (cont'd)***

Electrical Fast Transient/Burst

IEC 61000-4-4, Ed. 2.0 (2004-07); EN 61000-4-4 (2004);
EN 61000-4-4:2012; IEC 61000-4-4 (2012-04);
KN 61000-4-4; KN 61000-4-4 (2008-5);
KN 61000-4-4 (Annex 1-3)

Surge

IEC 61000-4-5, Ed. 2.0 (2005-11); EN 61000-4-5;
IEC 61000-4-5, Ed. 3.0 (May 2014); BS EN 61000-4-5 (2006);
EN 61000-4-5:2014; KN 61000-4-5; KN 61000-4-5 (2008-5);
KN 61000-4-5 (Annex 1-4); IEEE C62.41.1 (2002);
IEEE C62.41.2 (2002); IEEE C62.25 (2002)

Conducted

IEC 61000-4-6, Ed. 2.1 (2004); EN 61000-4-6;
EN 61000-4-6 (1996) + A1 (2001);
IEC 61000-4-6, Ed. 2.2 (2006-05); IEC 61000-4-6, Ed. 3.0 (2008);
IEC 61000-4-6, Ed. 4.0 (2013); EN 61000-4-6 (2009);
EN 61000-4-6 (2014); KN 61000-4-6; KN 61000-4-6 (2008-5);
KN 61000-4-6 (Annex 1-5)

Power Frequency Magnetic Field

IEC 61000-4-8 (2001) + A1 (2000);
EN 61000-4-8 (2001) + A1 (2000);
EN 61000-4-8 (1993) + A1 (2001); IEC 61000-4-8 (2009);
EN 61000-4-8:2010; KN 61000-4-8; KN 61000-4-8 (2008-5);
KN 61000-4-8 (Annex 1-6)Voltage Dips, Short
Interruptions, and Voltage
VariationsIEC 61000-4-11, Ed. 2 (2004-03); EN 61000-4-11;
EN 61000-4-11 (1994) + A1 (2001); EN 61000-4-11 (2004);
KN 61000-4-11; KN 61000-4-11 (2008-5);
KN 61000-4-11 (Annex 1-7)***Product Safety***Medical Electrical
EquipmentIEC 60601-1-2, Ed. 3.0 (2007); KN 60601-1-2 (2008-5);
IEC 60601-1-2, Ed. 4, (2014-02); EN 60601-1-2 (2007);
EN 60601-1-2 (2015)***Generic/Product Family Standards
and Industry Standards***

Generic Standards

EN 61326-1: 2013; KN 35: 2015

Information Technology
EquipmentIEC/CISPR 22 (1997); EN 55022 (1998) + A1 (2000);
IEC/CISPR 22 (1993); EN 55022 (1994);
IEC/CISPR 22 (1993); EN 55022 (1994) + A1 (1995) + A2 (1997);
CNS 13438 (1997);
IEC/CISPR 22, Ed. 4 (2003-04); EN 55022 (1998);
IEC/CISPR 22, Ed. 5 (2005); EN 55022 (1998);
IEC/CISPR 22, Ed. 5 (2005) + A1 (2005);
EN 55022 (1998) + A1 (2000) + A2 (2003);

Test Technology:

Test Method(s)^{1,2:}

Generic/Product Family Standards and Industry Standards (cont'd)

Information Technology Equipment (cont'd)

CNS 13438 (2006) (up to 6GHz);
IEC/CISPR 22, Edition 5.2 (2006-03); EN 55022 (2006);
EN 55022 (2006) + A1 (2007); EN 55022:2010; IEC/CISPR 22 (2008-09); AS/NZS CISPR 22 (2009);
TCVN 7189:2009 (CISPR 22:2006);
VCCI V-3 (2009.04, 2011.04, 2013.04, 2014.04, 2015.04) (up to 6 GHz); VCCI-CISPR 32:2016;
CISPR 24 Ed 2.0 (2010-08); EN 55024 (2010);
KN 24

Industrial, Scientific, and Medical (ISM) Equipment

AS/NZS CISPR 11 (2002); IEC/CISPR 11, Ed. 4.1 (2004-06);
AS/NZS CISPR 11 (2004);
IEC/CISPR 11, Ed. 4.1 (2004-06) + A1 (2004);
EN 55011 (1998) + A1 (1999) + A2 (2002);
IEC/CISPR 11 (2003); EN 55011 (1998) + A2(2002);
EN 55011 (2009) + A1 (2010); IEC/CISPR 11 Ed. 5 (2009-05);
CISPR 11 Ed. 5.1 (2010)

Measure

IEC 61326-1 Ed. 2.0 (2012)

Military/Defense

MIL-STD-461F Method CE101 (30 Hz to 10 kHz);
MIL-STD-461F Method CE102 (10 kHz to 10 MHz);
MIL-STD-461F Method CE106 (10 kHz to 40 GHz);
MIL-STD-461F Method CS101 (30 Hz to 150 kHz);
MIL-STD-461F Method CS106;
MIL-STD-461F Method CS114 (10 kHz to 200 MHz);
MIL-STD-461F Method CS116 (10 kHz to 100 MHz);
MIL-STD-461F Method RE101 (30 Hz to 100 kHz);
MIL-STD-461F Method RE102 (10 kHz to 18 GHz);
MIL-STD-461F Method RE103 (10 kHz to 40 GHz);
MIL-STD-461F Method RS101 (30 Hz to 100 kHz);
MIL-STD-461F Method RS103 (2 MHz to 40 GHz)

¹ When the date, revision or edition of a test method standard is not identified on the scope of accreditation, the laboratory is required to be using the current version within one year of the date of publication, per part C., Section 1 of A2LA R101 - *General Requirements- Accreditation of ISO-IEC 17025 Laboratories*. If a specifier/regulator imposes a different transition period, this will supersede the A2LA one-year implementation period.

² The laboratory is only accredited for testing activities outlined within the test methods listed above. Reference to any other activity within these standards, such as risk management or risk assessment, does not fall within the laboratory's accredited capabilities.

On the following types of products:

Telecommunication Equipment, Network Equipment, Industrial and Commercial Equipment, Electronic (Digital) Equipment, Medical, Aerospace, Military. Information Technology Equipment, Multimedia Equipment, Scientific Equipment

(A2LA Cert. No. 0214.43) Revised 02/28/2018



Testing Activities Performed in Support of FCC Declaration of Conformity and Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1³

Rule Subpart/Technology	Test Method	Maximum Frequency (MHz)
<u>Unintentional Radiators</u> Part 15B	ANSI C63.4:2014	40000
<u>Industrial, Scientific, and Medical Equipment</u> Part 18	FCC MP-5 (February 1986)	40000
<u>Intentional Radiators</u> Part 15C	ANSI C63.10:2013	40000

³Accreditation does not imply acceptance to the FCC equipment authorization program. Please see the FCC website (<https://apps.fcc.gov/oetcf/eas/>) for a listing of FCC approved laboratories.





Accredited Laboratory

A2LA has accredited

NATIONAL TECHNICAL SYSTEMS (NTS) - LONGMONT *Longmont, CO*

for technical competence in the field of

Electrical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated 8 January 2009).



Presented this 28th day of October 2016.

A handwritten signature in black ink, appearing to read 'L. S. ...', written over a horizontal line.

President and CEO
For the Accreditation Council
Certificate Number 0214.43
Valid to May 31, 2018
Revised February 28, 2018

For the tests to which this accreditation applies, please refer to the laboratory's Electrical Scope of Accreditation.