

SG Jil

Introduced the following COTS application updates:

- Windows Server 2022
- Windows 10 LTSC 2021

Introduced the following COTS infrastructure updates:

- Removed support for red BitLocker USB flash drives on EMS server and utilize TPM 2.0 Chips
- BitLocker on EMS hardware is now required

Impacted products:

- Electionware
- Open Primary Support

Added Open Primary Support for ExpressVote running on the CoRE architecture.

Impacted products:

- Electionware
- ExpressVote
- Secure Boot and Application Whitelisting

Implemented secure boot and application whitelisting to enhance security on the DS300, ExpressVote XL, and DS950.

Impacted products:

- DS300
- DS950
- ExpressVote XL
- Judges Initials Box on CoRE

Extended support for the Judges Initials box to the ExpressVote and ExpressVote XL.

Impacted products:

- Electionware
- ExpressVote
- ExpressVote XL

Poll Place Tabulators

- Language Support
 - Added Punjabi language support to the DS200 and DS300.

Central Count Tabulators

- Architecture
 - Upgraded operating system and application from 32-bit to 64-bit.

Electionware

- Ballot Review
 - Displayed the ballot's Audit Number in the Reporting module's Ballot Review for DS300.
- Exports
 - Updated Cast Vote Record Export spreadsheet to include Audit Number and Election ID.

Manufacturer	Hardware	Model/Version
Dell	Regional Results Data Comm Server	PowerEdge T430, T440, T630, T550, R540
Dell	EMS Client or Standalone Workstation	Latitude 5520, 5530, 5580 (32GB Ram) OptiPlex 5040, 5050, 7020, XE3, XE4
Dell	Trusted Platform Module (TPM) Chip 2.0	Security device
Dell	Regional Results Client	Latitude 5520, 5530, 5580
Toshiba	Regional Results Client	Tecra A50-C
Innodisk	USB EDC H2SE (16GB) for ExpressVote 2.1	DEEUH1-16GI72AC1SB
Delkin	2.0 USB Flash Drive (512MB, 1GB, 2GB, 4GB, 8GB)	N/A
Delkin	3.0 USB Flash Drive (4GB, 8GB, 16GB, 32GB)	6206, 6207, 6208, 6209
Delkin	3.0 USB Flash Drive (256GB) data transfer	6210
Delkin	USB Embedded 2.0 Module Flash Drive for ExpressVote HW1.0	MY08TQJ7A-RA000-D 8 GB MY16TNK7A-RA042-D/ 16 GB
Delkin	USB Embedded 2.0 Module Flash Drive for ExpressVote HW2.1	MY16TNK7A-RA042-D/ 16 GB
Delkin	Compact Flash Memory Card (1GB)	CE0GTFHHK-FD038-D
Delkin	Compact Flash Memory Card (4GB)	CE04TQSF3-XX000-D
Delkin	Secure CF Card (2GB)	CE02TLQCK-FD000-D
Delkin	CFast Memory Card (4GB)	BE04TRSJG-3N042-D
Delkin	Compact Flash Memory Card Reader/Writer	6381
Delkin	CFast Card (2GB, 4GB)	380-00006 – 2GB, 380-00007 – 4GB
Delkin	CFast Card Reader/Writer	67417
Cisco Firewall	Regional Results Security Firewall	ASA-5506-X, ASA-5508-X, ASA FPR-1010
Cisco Router	Regional Results VPN Router	RV340
D-link	network switch (1 GB Min)	DSG-1005G
YubiKey USB drive	Multi factor Authentication (optional)	5A series
Lexar	CFast Card Reader/Writer	LRWCR1TBNA
CardLogix	Smart Card	CLXSU128kC7/ AED C7
SCM Microsystems	Smart Card Writer	SCR3310
Avid	Headphones	86002
Zebra Technologies	QR code scanner (Integrated)	DS457-SR20009, DS457-SR20004ZZWW
Symbol	QR Code scanner (External)	DS9208
Brother	DS450, DS850, DS950 Report Printer	B6400
Dell	DS450 Report Printer	S2810dn
OKI	DS450, DS850, and DS950 Report Printer	B431dn, B431d, B432DN
OKI	DS450 and DS850 Audit Printer	Microline 420
APC	DS450 UPS	Back-UPS Pro 1500, Smart-UPS 1500
APC	DS850 UPS	Back-UPS RS 1500, Pro 1500
CyberPower	DS850 and DS950 UPS	OR1500PFCLCD
CyberPower	DS450 and DS950 UPS	CP1500PFCLCD
Tripp Lite	DS450 Surge Protector	SPIKECUBE
Seiko Instruments	Thermal Printer	LTPD-347B
NCR/Nashua	Paper Roll	2320
Fujitsu	Thermal Printer	FTP-62GDSL001, FTP-63GMCL153
HP	Ink cartridge for DS450/DS850 ballot number imprinting	87002
HP	Ink cartridge for DS950 ballot number imprinting	HP C6195A
TDS	Ink cartridge for DS200/DS300 ballot stamping	2278

Manufacturer	Hardware	Model/Version
HP	Ink cartridge for DS300 risk-limiting audit number imprinting	370-00538
Pivot	Vote Summary Card Only Suppression Tray	97-00359

System Limitations

This table provides the system limits that have been verified during testing.

System Characteristic	Boundary or Limitation	Limiting Component
Max. precincts allowed in an election	9,999	Electionware
Max. candidates allowed per election	10,000	Electionware
Max. contests allowed in an election	10,000	Electionware
Max. contests allowed per ballot style	500 or # of positions on ballot	N/A
Max. candidates (ballot choices) allowed per contest	230	Electionware
Max. number of parties allowed	General election: 75 Primary election: 30 (including nonpartisan party)	Electionware
Max. 'vote for' per contest	230	Electionware
Ballot formats	All paper ballots used in an election must be the same length. Voteable paper ballots must contain the same number of rows	Ballot scanning equipment
Max. ballot styles	15,000	Electionware
Max. ballots per batch	1,500	DS450/DS850/DS950
Max. precinct types/groups	25 (arbitrary)	Electionware
Max. precincts of a given type	250 (arbitrary)	Electionware
Max. reporting groups	14	Electionware
Max. connections	18 client connections	Electionware

Component Limitations

ExpressVote

1. ExpressVote capacities exceed all documented limitations for the ES&S election management, vote tabulation and reporting system. For this reason, Election Management System and ballot tabulator limitations define the boundaries and capabilities of the ExpressVote system as the maximum capacities of the ExpressVote are never approached during testing.
2. ExpressVote does not support Massachusetts Group Vote.
3. ExpressVote does not support Universal Primary Contest.
4. ExpressVote does not support Multiple Target Cross Endorsement.
5. ExpressVote does not support 19-inch cards with ballot stubs.

ExpressVote XL

1. ExpressVote XL capacities exceed all documented limitations for the ES&S election management, vote tabulation and reporting system. For this reason, Election Management System and ballot tabulator limitations define the boundaries and capabilities of the ExpressVote XL system as the maximum capacities of the ExpressVote XL are never approached during testing.
2. ExpressVote XL does not offer open primary support based on the ES&S definition of Open Primary, which is the ability to select a party and vote based on that party.
3. In a General election, one ExpressVote XL screen can hold 32 party columns if set up as columns or 16 party rows if set up as rows.
4. ExpressVote XL does not support Massachusetts Group Vote.
5. ExpressVote XL does not support Universal Primary Contest.
6. ExpressVote XL does not support 17-inch cards with ballot stubs or 19-inch cards with ballot stubs.

ExpressTouch

1. ExpressTouch capacities exceed all documented limitations for the ES&S election management, vote tabulation and reporting system. For this reason, Election Management System limitations define the boundaries and capabilities of the ExpressTouch system as the maximum capacities of the ES&S ExpressTouch are never approached during testing.
2. ExpressTouch does not offer open primary support based on the ES&S definition of Open Primary, which is the ability to select a party and vote based on that party.
3. ExpressTouch does not support Massachusetts Group Vote.
4. ExpressTouch does not support Universal Primary Contest.
5. ExpressTouch does not support Multiple Target Cross Endorsement.

Electionware

1. Electionware software field limits were calculated based on an average character width for ballot and report elements. Some uses and conditions, such as magnified ballot views or combining elements on printed media or ballot displays, may result in field limits (and associated warnings) lower than those listed. Check printed media and displays before finalizing the election.
2. The Electionware Export Ballot Images function is limited to 250 districts per export.
3. Electionware supports the language and special characters listed in the System Overview, Attachment 1. Language special characters other than those on this list may not appear properly when viewed on equipment displays or reports.

Electionware Paper Ballot

1. The paper ballot code channel, which is the series of black boxes that appear between the timing track and ballot contests, limits the number of available ballot variations depending on how a jurisdiction uses this code to differentiate ballots. The code can be

used to differentiate ballots using three different fields defined as: Sequence (available codes 1-16,300), Type (available codes 1-30), or Split (available codes 1-18).

2. For paper ballots, if Sequence is used as a ballot style ID, it must be unique electionwide and Split code will always be 1. In this case, the practical style limit would be 16,300.
3. The ExpressVote activation card has a ballot ID consisting of three different fields defined as: Sequence (available codes 1-16,300), Type (available codes 1-30), or Split (available codes 1-18).
4. Grid Portrait and Grid Landscape ballot types are New York specific and not for general use.

DS200

1. The DS200 configured for an early vote station does not support precinct level results reporting. An election summary report of tabulated vote totals is supported.
2. The DS200 storage limitation for write-in ballot images is 3,600 images. Each ballot image includes a single ballot face, or one side of one page.
3. Write-in image review requires a minimum 1GB of onboard RAM.
4. To successfully use the write-in report, ballots must span three or more vertical columns. If the column is greater than 1/3 of the ballot width (two columns or less), the write-in image will be too wide to print on the tabulator report tape.

DS300

1. The DS300 configured for an early vote station does not support precinct-level results reporting. An election summary report of tabulated vote totals is supported.
2. The DS300 storage limitation for write-in ballot images is 3,600 images. Each ballot image includes a single ballot face, or one side of one page.
3. To successfully use the write-in report, ballots must span three or more vertical columns. If the column is greater than 1/3 of the ballot width (two columns or less), the write-in image will be too wide to print on the tabulator report tape.

Functionality

VVSG 1.0 Supported Functionality Declaration

Feature/Characteristic	Yes/No	Comment
Voter Verified Paper Audit Trails		
VVPAT	No	
Accessibility		
Forward Approach	Yes	
Parallel (Side) Approach	Yes	
Closed Primary		
Primary: Closed	Yes	
Open Primary		

Feature/Characteristic	Yes/No	Comment
Primary: Open	Yes	ExpressVote XL and ExpressTouch do not offer open primary support based on the ES&S definition of Open Primary, which is the ability to select a party and vote based on that party.
Partisan & Non-Partisan:		
Partisan & Non-Partisan: Vote for 1 of N race	Yes	
Partisan & Non-Partisan: Multi-member (“vote for N of M”) board races	Yes	
Partisan & Non-Partisan: “vote for 1” race with a single candidate and write-in voting	Yes	
Partisan & Non-Partisan “vote for 1” race with no declared candidates and write-in voting	Yes	
Write-In Voting:		
Write-in Voting: System default is a voting position identified for write-ins.	Yes	
Write-in Voting: Without selecting a write in position.	Yes	
Write-in: With No Declared Candidates	Yes	
Write-in: Identification of write-ins for resolution at central count	Yes	
Primary Presidential Delegation Nominations & Slates:		
Primary Presidential Delegation Nominations: Displayed delegate slates for each presidential party	Yes	
Slate & Group Voting: one selection votes the slate.	Yes	
Ballot Rotation:		
Rotation of Names within an Office; define all supported rotation methods for location on the ballot and vote tabulation/reporting	Yes	
Straight Party Voting:		
Straight Party: A single selection for partisan races in a general election	Yes	
Straight Party: Vote for each candidate individually	Yes	
Straight Party: Modify straight party selections with crossover votes	Yes	
Straight Party: A race without a candidate for one party	Yes	
Straight Party: “N of M race (where “N”>1)	Yes	
Straight Party: Excludes a partisan contest from the straight party selection	Yes	
Cross-Party Endorsement:		
Cross party endorsements, multiple parties endorse one candidate.	Yes	ExpressVote and ExpressTouch do not support Multiple Target Cross Endorsement.
Split Precincts:		
Split Precincts: Multiple ballot styles	Yes	

Feature/Characteristic	Yes/No	Comment
Split Precincts: P & M system support splits with correct contests and ballot identification of each split	Yes	
Split Precincts: DRE matches voter to all applicable races.	Yes	
Split Precincts: Reporting of voter counts (# of voters) to the precinct split level; Reporting of vote totals is to the precinct level	Yes	
Vote N of M:		
Vote for N of M: Counts each selected candidate if the maximum is not exceeded.	Yes	
Vote for N of M: Invalidates all candidates in an overvote (paper)	Yes	
Recall Issues, with options:		
Recall Issues with Options: Simple Yes/No with separate race/election. (Vote Yes or No Question)	No	
Recall Issues with Options: Retain is the first option, Replacement candidate for the second or more options (Vote 1 of M)	No	
Recall Issues with Options: Two contests with access to a second contest conditional upon a specific vote in contest one. (Must vote Yes to vote in 2 nd contest.)	No	
Recall Issues with Options: Two contests with access to a second contest conditional upon any vote in contest one. (Must vote Yes to vote in 2 nd contest.)	No	
Cumulative Voting		
Cumulative Voting: Voters are permitted to cast, as many votes as there are seats to be filled for one or more candidates. Voters are not limited to giving only one vote to a candidate. Instead, they can put multiple votes on one or more candidate.	No	
Ranked Order Voting		
Ranked Order Voting: Voters can write in a ranked vote.	Yes	Ballots can be formatted for Ranked Order Voting and the system supports export of CVR data for processing of Ranked Order Voting Rounds
Ranked Order Voting: A ballot stops being counted when all ranked choices have been eliminated	Yes	Ballots can be formatted for Ranked Order Voting and the system supports export of CVR data for processing of Ranked Order Voting Rounds
Ranked Order Voting: A ballot with a skipped rank counts the vote for the next rank.	Yes	Ballots can be formatted for Ranked Order Voting and the system supports export of CVR data for processing of Ranked Order Voting Rounds

Feature/Characteristic	Yes/No	Comment
Ranked Order Voting: Voters rank candidates in a contest in order of choice. A candidate receiving a majority of the first choice votes wins. If no candidate receives a majority of first choice votes, the last place candidate is deleted, each ballot cast for the deleted candidate counts for the second choice candidate listed on the ballot. The process of eliminating the last place candidate and recounting the ballots continues until one candidate receives a majority of the vote	No	
Ranked Order Voting: A ballot with two choices ranked the same, stops being counted at the point of two similarly ranked choices.	Yes	Ballots can be formatted for Ranked Order Voting and the system supports export of CVR data for processing of Ranked Order Voting Rounds
Ranked Order Voting: The total number of votes for two or more candidates with the least votes is less than the votes of the candidate with the next highest number of votes, the candidates with the least votes are eliminated simultaneously and their votes transferred to the next-ranked continuing candidate.	No	
Provisional or Challenged Ballots		
Provisional/Challenged Ballots: A voted provisional ballots is identified but not included in the tabulation, but can be added in the central count.	Yes	
Provisional/Challenged Ballots: A voted provisional ballots is included in the tabulation, but is identified and can be subtracted in the central count	Yes	
Provisional/Challenged Ballots: Provisional ballots maintain the secrecy of the ballot.	Yes	
Overvotes (must support for specific type of voting system)		
Overvotes: P & M: Overvote invalidates the vote. Define how overvotes are counted.	Yes	
Overvotes: DRE: Prevented from or requires correction of overvoting.	Yes	
Overvotes: If a system does not prevent overvotes, it must count them. Define how overvotes are counted.	Yes	
Overvotes: DRE systems that provide a method to data enter absentee votes must account for overvotes.	Yes	
Undervotes		
Undervotes: System counts undervotes cast for accounting purposes	Yes	
Blank Ballots		
Totally Blank Ballots: Any blank ballot alert is tested.	Yes	
Totally Blank Ballots: If blank ballots are not immediately processed, there must be a provision to recognize and accept them	Yes	
Totally Blank Ballots: If operators can access a blank ballot, there must be a provision for resolution.	Yes	

Feature/Characteristic	Yes/No	Comment
Networking		
Wide Area Network – Use of Modems	No	
Wide Area Network – Use of Wireless	No	
Local Area Network – Use of TCP/IP	No	
Local Area Network – Use of Infrared	No	
Local Area Network – Use of Wireless	No	
FIPS 140-2 validated cryptographic module	Yes	
Used as (if applicable):		
Precinct counting device	Yes	DS200, DS300, ExpressTouch, ExpressVote XL
Central counting device	Yes	DS450, DS850, DS950

Baseline Certification Engineering Change Orders (ECO)

This table depicts the ECOs certified with the voting system:

Change ID	Date	Component	Description	Inclusion
ECO 1151	02/21/23	DS950	This ECO addresses update DATAWIN Transporter Board Firmware to version C60_20221215_0300. With this update, the output tray now starts to lower sooner so in the event of a possible ballot jam, it will now give a greater opportunity of the next incoming ballots to lay flat over the jammed ballots.	De minimis