WYLE REPORT NO. T57381-01

Appendix A.4

Security

TEST CASE PROCEDURE SPECIFICATION (T57381.-60)

TABLE OF CONTENTS

			<u>Page No.</u>
1.0	INTR	1	
	1.1	Scope	1
	1.2	References	1
	1.3	Terms and Abbreviations	3
	1.4	Relationship to Other Procedures	4
2.0	DET	AILS	4
	2.1	Inputs, Outputs, and Special Requirements	8
	2.2	WOP 6 Test Suite	8
	2.3	Discovery & Exploratory Functional Security Testing	8

ATTACHMENTS

ATTACHMENT A – SECURITY TEST MATRIX	9
ATTACHMENT B – 2005 VVSG REQUIREMENTS CHECKLIST	12
ATTACHMENT C – SECURITY WOP TEST SUITES	19

1.0 INTRODUCTION

The purpose of the Security Test Case Procedure Specification is to document the "Security" functionality of the Dominion Voting Systems Democracy Suite 4.0. Wyle must verify that the Democracy 4.0 performs as documented in the Dominion supplied Technical Data Package submitted to Wyle for the test campaign. Wyle must also validate that the Democracy 4.0 meets the requirements of the 2005 EAC Voluntary Voting Systems Guidelines (VVSG). Wyle qualified personnel will use this document as the procedure to execute the "Security" test.

1.1 Scope

The scope of this procedure will focus on the security technologies used in the Dominion Democracy Suite 4.0. The Democracy 4.0 uses security technologies to secure the hardware, software, and storage media during pre-voting, voting, and post voting activities. Capabilities shall be provided to ensure that the Democracy 4.0 is protected against unauthorized activity, potential threats and intentional manipulation. Public networks are not used as part of the Democracy 4.0 system. The specific applications of the Democracy 4.0 used in this test suite are:

- Election Management System (EMS) Election Event Designer
- Election Management System (EMS) Results, Tally, and Reporting (RTR)
- Election Management System (EMS) Audio Studio (AS)
- Transport Media (TM)
- Audio Tactile Device (ATI)
- Ballot Box
- ImageCast Central (ICC)
- ImageCast Precinct (ICP)
- ImageCast Evolution (ICE)

1.2 References

The documents listed below were used in the development of the Test Plan and are utilized to perform certification testing.

- Parikh, Clay U., CEH, CHFI, CISSP. Email. PR List. July 26, 2011. Print.
- Parikh, Clay U., CEH, CHFI, CISSP. Email. RE: PR List. July 27, 2011. Print.
- Parikh, Clay U., CEH, CHFI, CISSP. Email. ICE Security Comments. December 10, 2011. Print.
- Wyle Laboratories. Compliance Testing of the Dominion Voting Systems Democracy Suite ICPA System, T-57381. July 29, 2011. Print.
- Dominion Voting Systems. "2.06 Democracy Suite System Security Specification, Version 1.1.0::293". N.p., March 16, 2012. Print.
- Dominion Voting Systems. "2.02 Democracy Suite System Overview, Version 1.2.0::225". N.p., March 16, 2012. Print.
- Dominion Voting Systems. "2.03 Democracy Suite EMS Functional Description, Version 1.1.0::209". N.p., March 20, 2012. Print.
- Dominion Voting Systems. "2.03 Democracy Suite ImageCast Evolution Functionality Description Functional Description, Version 1.2.0::58". N.p., March 21, 2012. Print.
- Dominion Voting Systems. "2.03 Democracy Suite ImageCast Central Functionality Description Functional Description, Version 1.0.0::48". N.p., March 20, 2012. Print.

- Dominion Voting Systems. "2.03 Democracy Suite ImageCast Precinct Functionality Description Functional Description, Version 1.1.0::100". N.p., March 16, 2012. Print.
- Dominion Voting Systems. "2.04 ImageCast Evolution Tabulator System Hardware Specifications, Version 1.2.0::77". N.p., March 16, 2012. Print.
- Dominion Voting Systems. "2.04 ImageCast Precinct Tabulator System Hardware Specifications, Version 1.1.0::67". N.p., March 16, 2012. Print.
- Dominion Voting Systems. "2.05 EMS Software Design and Specifications, Version 1.0.0::186". N.p., March 21, 2012. Print.
- Dominion Voting Systems. "2.05 ImageCast Evolution Software Design and Specification, Version 1.0.0::70". N.p., March 21, 2012. Print.
- Dominion Voting Systems. "2.05 ImageCast Precinct Software Design and Specification, Version 1.0.0::93". N.p., March 16, 2012. Print.
- Dominion Voting Systems. "2.05 ImageCast Central Software Design and Specification, Version 1.1.0::147". N.p., March 21, 2012. Print.
- Dominion Voting Systems. "2.08 ICE System Operations Procedures, Version 1.0.0::79". N.p., March 21, 2012. Print.
- Dominion Voting Systems. "2.08 EMS System Operations Procedures, Version 1.0.0::45". N.p., March 16, 2012. Print.
- Dominion Voting Systems. "2.08 ICP System Operations Procedures, Version 1.0.0::45". N.p., March 16, 2012. Print.
- Dominion Voting Systems. "2.08 ICE System Operations Procedures, Version 1.1.0::109". N.p., March 16, 2012. Print.
- Dominion Voting Systems. "2.09 EMS System Maintenance Manual". N.p., February 22, 2012. Print.
- Dominion Voting Systems. "2.09 ImageCast Evolution System Maintenance Manual, Version 1.1.0:109". N.p., March 16, 2012. Print.
- Wyle Laboratories. VP-1 Photographs, T-56849. 2010. JPGs
- United States Election Assistance Commission. 2005 Voluntary Voting System Guidelines, Volume I, Version 1.0. New York, Washington D.C., 2005, Print
- United States Election Assistance Commission. 2005 Voluntary Voting System Guidelines, Volume II, Version 1.0. New York, Washington D.C., 2005. Print
- United States Election Assistance Commission. Testing and Certification Program Manual, Version 1.0. New York, Washington, January 1, 2007. Print
- United States Election Assistance Commission. Voting System Test Laboratory Program Manual, Version 1.0, New York, Washington, effective date July 2008. Print
- United States Department of Commerce, National Institute of Standards and Technology. National Voluntary Laboratory Accreditation Program, NIST Handbook 150, 2006 Edition, NVLAP, Washington, February 2006. Print
- United States Department of Commerce, National Institute of Standards and Technology. National Voluntary Laboratory Accreditation Program, NIST Handbook 150-22, 2008 Edition, NVLAP, Washington, May 2008. Print
- Help America Vote Act (HAVA) of 2002, Pub. L. no. 107-252. October 2002. Web
- Wyle Laboratories. Quality Assurance Program Manual, Revision 4. Print

- ANSI/NCSL Z540-3, Calibration Laboratories and Measuring and Test Equipment, General Requirements. Web
- International Standards Organization. ISO 10012-1:2003(E), Measurement Management Systems, Requirements for Measurement Processes and Measuring Equipment, April 15, 2003. Print
- United States Election Assistance Commission. Notices of Clarification. Web, EAC.gov
- United States Election Assistance Commission. Requests for Interpretation. Web, EAC.gov
- Panko, Raymond R. "Corporate Computer and Network Security". Boston: Prentice Hall, 2010. Print
- Tipton, Harold F, CISSP and Micki Krause, CISSP. Information Security Management Handbook. Boca Raton, Fl: CRC Press, 2010. CD-ROM
- NIST Standards for Security Categorization of Federal Information and Information Systems, FIPS PUB 199, February 2004
- •

1.3 Terms and Abbreviations

The terms and abbreviations relevant to the test campaign are described in Table 1-1, below.

Term	Abbreviation	Definition
Audio Studio	AS	Democracy Suite EMS Audio Studio client application represents an end-user helper application used to record audio files for a given election project. As such, it is utilized during the pre-voting phase of the election cycle.
Audio Tactile Interface	ATI	The Audio Tactile Interface is a handheld device used by a voter during an accessible voting session to navigate through, and make selections to, their ballot.
COTS	COTS	Commercial Off the Shelf
United States Election Assistance Commission	EAC	Commission created per the Help America Vote Act of 2002, assigned the responsibility for setting voting system standards and providing for the voluntary testing and certification of voting systems.
Election Manager System	EMS	The Democracy Suite Election Management System (EMS) set of applications are responsible for all pre-voting and post- voting groups of activities in the process of defining and managing elections. The complete EMS software platform consists of client (end-user) and server (back-end) applications.
Election Event Designer	EED	Democracy Suite EMS Election Event Designer client application integrates election definition functionality and represents a main pre-voting phase end-user application.
Equipment Under Test	EUT	Dominion Voting Systems Democracy Suite Comments and Peripherals
ImageCast Central	ICC	ICC is a central location ballot counters
ImageCast Evolution	ICE	ICE is a polling place election day ballot counters with optional ballot marking
ImageCast Precinct	ICP	ICP is a polling place election day ballot counters
Personal Computer	РС	The EMS Windows 2007 Operating System (OS) desktop computer and peripherals.

Table 1-1 Terms and Abbreviations

Results, Tally, and Reporting	RTR	Democracy Suite EMS Results Tally and Reporting client application integrates election results acquisition, validation, tabulation, reporting and publishing capabilities and represents a main post-voting phase end-user application.
Technical Data Package	TDP	The documents necessary to define the product and its method of operation; to provide technical and test data supporting the vendor's claims of the system's functional capabilities and performance levels; and to document instructions and procedures governing system operation and field maintenance.
Transport Media	ТМ	CF Cards used by the system to transport election data.
Voluntary Voting System Guidelines	VVSG	Technical Data Package TDP A set of specifications and requirements against which voting systems can be tested to determine if they provide all the basic functionality, accessibility and security capabilities required to ensure the integrity of voting systems.

1.4 Relationship to Other Procedures

The Security Test Case Procedure Specification is a standalone procedure. No other test procedures need to be run concurrent with this procedure.

2.0 DETAILS

The following sections describe the requirements that are applicable to the Democracy 4.0 and individual test cases that will be run in order to facilitate security testing.

Section		Requirement
VI-7.2.1		Dominion shall specify the general features and capabilities of the access control policy
V 1-7.2.1		recommended to provide effective voting system security.
VI-7.2.1	а	Software access controls
VI-7.2.1	b	Hardware access controls
VI-7.2.1	с	Communications
VI-7.2.1	d	Effective password management
VI-7.2.1	e	Protection abilities of a particular operating system
VI-7.2.1	f	General characteristics of supervisory access privileges
VI-7.2.1	g	Segregation of duties
VI-7.2.1	h	Any additional relevant character
V1-7.2.1.1		Dominion shall provide individual access privileges
V1-7.2.1.1	а	Identify each person, to whom access is granted, and the specific functions and data to
v1-/.2.1.1		which each person holds authorized access.
V1-7.2.1.1	b	Specify whether an individual's authorization is limited to a specific time, time interval, or
v1-/.2.1.1		phase of the voting or counting operations.
V1-7.2.1.1	с	Permit the voter to cast a ballot expeditiously, but preclude voter access to all aspects of
v1-7.2.1.1	C	the vote-counting processes
		Provide a detailed description of all system access control measures designed to permit
V1-7.2.1.2		authorized access to the system and prevent unauthorized access. Examples of such
		measures include.
V1-7.2.1.2	а	Use of data and user authorization.
V1-7.2.1.2	b	Program unit ownership and other regional boundaries.
V1-7.2.1.2	с	One-end or two-end port protection devices.
V1-7.2.1.2	d	Security kernels.
V1-7.2.1.2	e	Computer-generated password keys.
V1-7.2.1.2	f	Special protocols.
V1-7.2.1.2	g	Message encryption.
V1-7.2.1.2	h	Controlled access security.
V1-7.2.1.2		Dominion also shall define and provide a detailed description of the methods used to

Table 2-1 Security Requirements

		prevent unauthorized access to the access control capabilities of the system itself.
	+	For polling place operations, Dominion shall develop and provide a detailed
		documentation of measures to enable poll workers to physically protect and perform
		orderly shutdown of the voting equipment to counteract vandalism civil disobedience, and
V1-7.3.1		similar occurrence.
VI 7.5.1		 Allow the immediate detection of tampering with vote casting devices and precinct ballot
		• Anow the minediate detection of tampering with vote casting devices and precifict banot counters.
		 Control physical access to a telecommunications link if such a link is used.
		Dominion shall develop and document in detail the measures to be taken in a central
		counting environment. These measures shall include physical and procedural controls
		related to the handling of:
V1-7.3.2		Handling of ballot boxes.
		 Preparing of ballots for counting.
		• Counting operations.
		• Reporting data.
		Provide specific security requirements for the installation of software and for the protection
V1-7.4		against malicious software. Provide security requirements for hardware with embedded
		firmware.
		If software is resident in the system as firmware, Dominion shall require and state in the
V1-7.4.1	а	system documentation that every device is to be retested to validate each ROM prior to the
		start of elections operations.
		No software shall be permanently installed or resident in the system unless the system
V1-7.4.1	1.	documentation states that the jurisdiction must provide a secure physical and procedural
V1-7.4.1	b	environment for the storage, handling, preparation, and transportation of the system
		hardware.
		The system bootstrap, monitor, and device-controller software may be resident
X11 77 4 1		permanently as firmware, provided that this firmware has been shown to be inaccessible to
V1-7.4.1	с	activation or control by any means other than by the authorized initiation and execution of
		the vote-counting program, and its associated exception handlers.
		The election-specific programming may be installed and resident as firmware, provided
V1-7.4.1	d	that such firmware is installed on a component (such as computer chip) other than the
		component on which the operating system resides.
\mathbf{V} 1 7 4 1		After initiation of election day testing, no source code or compilers or assemblers shall be
V1-7.4.1	e	resident or accessible.
		Democracy 4.0 shall deploy protection against the many forms of threats to which they
V1-7.4.2		may be exposed such as file and macro viruses, worms, Trojan horses, and logic bombs.
v 1-7.4.2		Vendors shall develop and document the procedures to be followed to ensure that such
		protection is maintained in a current status.
		Dominion shall document all software including Democracy 4.0 software, third party
V1-7.4.4	а	software (such as operating systems and drivers) to be installed on the Democracy 4.0, and
		installation programs.
		The documentation shall have a unique identifier (such as a serial number or part number)
		for the following set of information:
		• documentation
V1-7.4.4	a i	software vendor name
, , , , , , , , , , , , , , , , , , , ,		• product name, version
		• the certification application number of the voting system
		• file names
		• paths or other location information(such as storage addresses) of the software.
V1-7.4.4	a ii	The documentation shall designate all software files as static, semi-static or dynamic.
V1-7.4.4	b	Wyle shall witness the final build of the executable version of the Democracy 4.0 software
	ļ	performed by Dominion.
		Wyle shall create a complete record of the build that includes:
		• a unique identifier (such as a serial number) for the complete record
		• a list of unique identifiers of unalterable storage media associated with the record
V1-7.4.4	b i	• the time, date, location, names and signatures of all people present
		• the source code and resulting executable file names
		 the version of Democracy 4.0 software the cartification amplication number of the Democracy 4.0
		 the certification application number of the Democracy 4.0 the name and versions of all (including third party) libraries
	1	the name and versions of all (including third party) libraries

	r	
		• the name, version, and configuration files of the development environment used for the build
V1-7.4.4	b ii	The record of the source code and executable files shall be made on unalterable storag
		media. Each piece of media shall have a unique identifier.
V1-7.4.4	b	Wyle shall retain this record until notified by the EAC that it can be archived.
VI 7.4.4	iii	
		After EAC certification has been granted, Wyle shall create a subset of the complete recor
		of the build that includes:
		• a unique identifier (such as a serial number) of the subset
		• the unique identifier of the complete record
V1-7.4.4	с	• a list of unique identifiers of unalterable storage media associated with the subset
		• the vendor and product name
		• the version of Democracy 4.0 software
		• the certification number of the Democracy 4.0
		• all the files that resulted from the build and binary images of all installation programs
V1 7 4 4		The record of the software shall be made on unalterable storage media. Each piece
V1-7.4.4	c i	media shall have a unique identifier.
		Wyle shall retain a copy, send a copy to the vendor, and send a copy to the NIST Nation
V1-7.4.4	c ii	Software Reference Library (NSRL) and/or to any repository designated by a State.
V1-7.4.4	c iii	The NSRL shall retain this software until notified by the EAC that it can be archived.
, 1 / • 1•T	~ m	Dominion shall provide the NSRL and any repository designated by a state with a copy
V1-7.4.4	d	the software installation disk, which Dominion will distribute to purchasersincluding the
v 1-/. 4 .4	u	executable binary images of all third party software.
		All Democracy 4.0 software, installation programs and third party software (such
V1-7.4.4	di	
V1-/.4.4	a i	operating systems and drivers) used to install or to be installed on the Democracy 4
		equipment shall be distributed using unalterable storage media.
		Dominion shall document that the process used to verify the software distributed of
V1-7.4.4	d ii	unalterable storage media is the certified software by using the reference information
		provided by the NSRL or other designated repository before installing the software.
		The Democracy 4.0 equipment shall be designed to allow the Democracy 4.0 administrat
V1-7.4.4	e	to verify that the software is the certified software by comparing it to reference information
		produced by the NSRL or other designated repository.
V1-7.4.4	f	Dominion and Wyle shall document to whom they provide the Democracy 4.0 software.
\mathbf{V} 1746		Setup validation methods shall verify that no unauthorized software is present on the
V1-7.4.6	а	voting equipment.
		Dominion shall have a process to verify that:
		the correct software is loaded
V1-7.4.6	b	there is no unauthorized software
		• voting system software on voting equipment has not been modified using the reference
		information from the NSRL or from a State designated repository.
X11 7 4 -		The process used to verify software should be possible to perform without using software
V1-7.4.6		I the process used to verify software should be possible to benorm without using software
	b i	
		installed on the Democracy 4.0.
V1-7.4.6	b i b ii	installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4
	b ii	installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment.
V1-7.4.6 V1-7.4.6	b ii b	installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the
	b ii	installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the verification process.
	b ii b	installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the verification process. Dominion shall provide a method to comprehensively list all software files that a
V1-7.4.6	b ii b iii	 installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0.
V1-7.4.6 V1-7.4.6	b ii b iii c	installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0. The verification process should be able to be performed using COTS software and
V1-7.4.6	b ii b iii	 installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0. The verification process should be able to be performed using COTS software and hardware available from sources other than Dominion.
V1-7.4.6 V1-7.4.6 V1-7.4.6	b ii b iii c d	 installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0. The verification process should be able to be performed using COTS software and hardware available from sources other than Dominion. If the process uses hashes or digital signatures, then the verification software shall use
V1-7.4.6 V1-7.4.6	b ii b iii c	 installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0. The verification process should be able to be performed using COTS software and hardware available from sources other than Dominion. If the process uses hashes or digital signatures, then the verification software shall use FIPS 140-2 level 1 or higher validated cryptographic module.
V1-7.4.6 V1-7.4.6 V1-7.4.6	b ii b iii c d	 installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0. The verification process should be able to be performed using COTS software and hardware available from sources other than Dominion. If the process uses hashes or digital signatures, then the verification software shall use FIPS 140-2 level 1 or higher validated cryptographic module. The verification process shall either:
V1-7.4.6 V1-7.4.6 V1-7.4.6	b ii b iii c d	 installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0. The verification process should be able to be performed using COTS software and hardware available from sources other than Dominion. If the process uses hashes or digital signatures, then the verification software shall use FIPS 140-2 level 1 or higher validated cryptographic module.
V1-7.4.6 V1-7.4.6 V1-7.4.6 V1-7.4.6	b ii b iii c d d i	 installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0. The verification process should be able to be performed using COTS software at hardware available from sources other than Dominion. If the process uses hashes or digital signatures, then the verification software shall use FIPS 140-2 level 1 or higher validated cryptographic module. The verification process shall either:
V1-7.4.6 V1-7.4.6 V1-7.4.6 V1-7.4.6	b ii b iii c d d i	 installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during th verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0. The verification process should be able to be performed using COTS software are hardware available from sources other than Dominion. If the process uses hashes or digital signatures, then the verification software shall use FIPS 140-2 level 1 or higher validated cryptographic module. The verification process shall either: (a) use reference information on unalterable storage media received from a repository, or (b) verify the digital signature of the reference information on any other media.
V1-7.4.6 V1-7.4.6 V1-7.4.6 V1-7.4.6	b ii b iii c d d i	 installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during th verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0. The verification process should be able to be performed using COTS software ar hardware available from sources other than Dominion. If the process uses hashes or digital signatures, then the verification software shall use FIPS 140-2 level 1 or higher validated cryptographic module. The verification process shall either: (a) use reference information on unalterable storage media received from a repository, or (b) verify the digital signature of the reference information on any other media.
V1-7.4.6 V1-7.4.6 V1-7.4.6 V1-7.4.6 V1-7.4.6	b ii b iii c d d i d ii	 installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during the verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0. The verification process should be able to be performed using COTS software are hardware available from sources other than Dominion. If the process uses hashes or digital signatures, then the verification software shall use FIPS 140-2 level 1 or higher validated cryptographic module. The verification process shall either: (a) use reference information on unalterable storage media received from a repository, or (b) verify the digital signature of the reference information on any other media. Democracy 4.0 equipment shall provide a means to ensure that the Democracy 4 software can be verified through a trusted external interface, such as a read-only external interface.
V1-7.4.6 V1-7.4.6 V1-7.4.6 V1-7.4.6 V1-7.4.6	b ii b iii c d d i d ii	 installed on the Democracy 4.0. Dominion shall document the process used to verify software on the Democracy 4 equipment. The process shall not modify the Democracy 4.0 software on the Democracy 4.0 during th verification process. Dominion shall provide a method to comprehensively list all software files that a installed on the Democracy 4.0. The verification process should be able to be performed using COTS software ar hardware available from sources other than Dominion. If the process uses hashes or digital signatures, then the verification software shall use FIPS 140-2 level 1 or higher validated cryptographic module. The verification process shall either: (a) use reference information on unalterable storage media received from a repository, or (b) verify the digital signature of the reference information on any other media.

		enabled and disabled.
V1 7 4 C		
V1-7.4.6	e iii	The external interface shall be disabled during voting.
V1-7.4.6	e iv	The external interface should provide a direct read-only access to the location of the Democracy 4.0 software without the use of installed software.
V1-7.4.6	f	Setup validation methods shall verify that the registers and variables of the voting system equipment contain the proper static and initial values.
V1-7.4.6	fi	Dominion should provide a method to query the Democracy 4.0 to determine the values of all static and dynamic registers and variables including the values that jurisdictions are required to modify to conduct a specific election.
V1-7.4.6	f ii	Dominion shall document the values of all static registers and variable, and the initial starting values of all dynamic registers and variables listed for voting system software, except for the values set to conduct a specific election.
V1-7.5.1	b i	Implement an encryption standard currently documented and validated for use by an agency of the U.S. Federal Government.
V1-7.5.1	b ii	Provide a means to detect the presence of an intrusive process, such as an Intrusion Detection System.
V1-7.5.5	а	For equipment that operates in a central counting environment, be designed to provide external access to incomplete election returns only if that access for these purposes is authorized by the statutes and regulations of the using agency. This requirement applies as well to polling place equipment that contains a removable memory module, or that may be removed in its entirety to a central place for the consolidation of polling place returns.
V1-7.5.5	b	Design voting system software and its security environment designed such that data accessible to interactive queries resides in an external file or database created and maintained by the elections software under the restrictions applying to any other output report, namely, that:
V1-7.5.5	bi	The output file or database has no provision for write-access back to the system.
V1-7.5.5	b ii	Persons whose only authorized access is to the file or database are denied write-access, both to the file or database, and to the system.
V1-7.8.1		 Independent (IV) systems are electronic voting systems that produce multiple independent cast vote records of voter ballot selections, which can be audited to a high level of precision. For this to happen, the cast vote records must be handled according to the following protocol: At least two cast vote records of the voter's selections are produced and one of the records is then stored in a manner that it cannot be modified by the voting system. For example, the voting system creates a record of the voter's selections and then copies it to unalterable storage media. The voter must be able to verify that both cast vote records are correct and match before leaving the polling place, e.g., verify his or her selections on the voting machine summary screen and also verify the second record on the unalterable storage media. The verification processes for the two cast vote records must be independent of each other, and at least one of the records must be verified directly by the voter. The contents of the two cast vote records also can be checked later for consistency through the use of unique identifiers that allow the records to be linked. The cast vote records would be formatted so that at least one set is usable in an efficient counting process by the electronic voting system and the other set is usable in an efficient process of auditing or verifying the agreement between the two sets.

2.1 Inputs, Outputs, and Special Requirements

Inputs used during security testing will be the following:

- Test election loaded on a preconfigured ICE/ICP
- All passwords for all access control levels generated by the EMS software for the test elections.

Special scanning applications will be configured as pre-test activity and provide the platform for all security scans.

2.2 WoP 6 Test Suite Test

As a pre-test activity, WoP 6, WoP 6a, WoP 6b, WoP 6c, and WoP 6d will be completed to gather the necessary documentation for exploratory security testing.

2.3 Discovery and Exploratory Functional Security Testing

The functional security testing is broken into two phases. The first phase is discovery phase. Scans will be performed on different components of the Democracy 4.0 at different states targeting initialization, maintenance, and election states. These scans will provide information about the ports, protocols, and hardware as well as simulate certain attacks on vulnerable areas of the system. This information will be provided to a certified security professional for analysis. The analysis of this data will provide the method of attack during the exploratory phase of testing. Exploratory testing will be performed by a certified security professional at Wyle's facilities. A complete report of the exploratory testing results will be provided to Dominion and Wyle for review. The certified security professional will document any vulnerable areas of the Democracy 4.0 and provide recommended solutions.

ATTACHMENT A SECURITY TEST MATRIX

Security Test Spreadsheet

Dominion Security Test Matrix

"x"= to be tested = not to be tested								
Tests		To be 7	Fested		1	Res	ults	
TESTS	ICE	EMS	ICP	ICC	ICE	EMS	ICP	ICC
Ports, Protocols, Services Scan	X		X		Pass		Pass	
Vulnerability Scan	X	X	X		Pass	Pass	Pass	
File permission checks on critical files/apps/directories	X	X	X	X	Pass	Pass	Pass	Pass
Account checks (privileges, password)	X	X	X	X	Pass	Pass	Pass	Pass
Test Verification Process	х	X	х	X	Pass	Pass	Pass	Pass
Attacks from key - TM	X	x	X	X	Pass	Pass	Pass	Pass
TDP Review	X	X	X	X	Pass	Pass	Pass	Pass
File Manipulation	х	X	х	X	Pass	Pass	Pass	Pass
Operating System Tests								
BIOS - order change, backdoor, potential mbr attack on crypto	X	X	X	X	Pass	Pass	Pass	Pass
Xwindows - bypass/short cut desktop		X				Pass		
Password policy enforcement	X	X	X	X	Pass	Pass	Pass	Pass
Hardware connections (USB, LAN)	X	X	X	X	Pass	Pass	Pass	Pass
Event Log	X	X	X	X	Pass	Pass	Pass	Pass
Application Tests								
Check installed software	X	X	X	X	Pass	Pass	Pass	Pass

Check "timeout"	X	X	X	X	Pass	Pass	Pass	Pass
Password Aging	X	X	X	X	Pass	Pass	Pass	Pass
Verify user name and password	X	X	X	X	Pass	Pass	Pass	Pass
Verify user roles	X	X	X	X	Pass	Pass	Pass	Pass
Transport Media Tests								
Dominion Approved Compact Flash	X	X	X	X	Pass	Pass	Pass	Pass
Compact Flash Clean or Cleared	X	X	X	X	Pass	Pass	Pass	Pass
Physical Security								
Machine disposables can be replaced without gaining access to internal components.	X	X	X	X	Pass	Pass	Pass	Pass
Verify that ballot counter cannot be reset except by authorized persons	X		X	X	Pass		Pass	Pass
Tamper evident tape and seals	X		X		Pass		Pass	
Bypass or defeat security environment	X	X	X	X	Pass	Pass	Pass	Pass
Ballot storage device is secure	X		X		Pass		Pass	
TDP Review	X	X	X	X	Pass	Pass	Pass	Pass
Verify software and firmware on unit reflects the TDP	X	X	X	X	Pass	Pass	Pass	Pass

ATTACHMENT B 2005 VVSG REQUIREMENTS CHECKLIST

"X" Requiremen	nts were met	
VVSG Req. No.	2005 VVSG Volume I Functional Requirement Matrix	REQUIREMENTS MET
Vol. I	Voting System Performance Guidelines	
Section 2	Functional Requirements	
2.1	Overall System Capabilities	
2.1.1	Security	
	System security is achieved through a combination of technical capabilities and sound administrative practices. The ensure security, all system shall:	
а	Provide security access controls that limit or detect access to critical system components to guard against loss of system integrity, availability, confidentiality, and accountebilty.	X
b	Provide system functions that are executable only in the intended manner and order, and only under the intended conditions.	X
с	Use the system's control logic to prevent a system function from executing if any preconditions to the function have not been met.	X
d	Provide safeguards in response to system failure to protect against tampering during system repair or interventions in system operations.	X
e	Provide security provisions that are compatible with the procedures and administrative tasks involved in equipment preparations, testing, and operation.	X
f	Incorporate a means of implementing a capability if access to a system function is to be restricted or controlled	X
g	Provide documentation of mandatory administrative procedures for effective system security	X
Section 7	Security	
7.2	Access Control	
7.2.1	General Access Control Policy	
	The vendor shall specify the general features and capabilities of the access control policy recommended to provide effective voting system security. Although the jurisdiction in which the voting system is operated is responsible for determining the access policies for each election, the vendor shall provide a description of recommended policies for:	
а	Software access controls	Х
b	Hardware access controls	X
C d	Communications	X
d	Effective password management Protection abilities of a particular operating system	X
e f	General characteristics of supervisory access privileges	
g	Segregation of duties	
<u> </u>	Any additional relevant characteristics	X
7.2.1.1	Individual Access Privileges	
	Voting system vendors shall:	
a	Identify each person to whom access is granted, and the specific functions and data to which each person holds authorized access	X
b	Specify whether an individual's authorization is limited to a specific time, time interval or phase of the voting or counting operations	X
с	Permit the voter to cast a ballot expeditiously, but preclude voter access to all aspects of the vote counting processes	X

VVSG Req. No.	2005 VVSG Volume I Functional Requirement Matrix	REQUIREMENTS MET
Vol. I	Voting System Performance Guidelines	
7.2.1.2	Access Control Measures	
	Vendors shall provide a detailed description of all system access control measures designed to permit authorized access to the system and prevent unauthorized access. Examples of such measures include:	
a	Use of data and user authorization	Х
b	Program unit ownership and other regional boundaries	X
с	Communications	X
d	Security kernels	X
e	Computer-generated password keys	X
f	Special protocols	X
<u>g</u>	Message encryption	X
h	Controlled access security	X
	Vendors also shall define and provide a detailed description of the methods used to prevent unauthorized access to the access control capabilities of the system itself.	X
7.3	Physical Security Measures	
7.3.1	Polling Place Security	
	For polling place operations, vendors shall develop and provide detailed documentation of measures to enable poll workers to physically protect and perform orderly shutdown of voting equipment to counteract vandalism, civil disobedience, and similar occurrences. The measures shall allow the immediate detection of tampering with vote casting devices and precinct ballot counters. They also shall control physical access to a telecommunications link if such a link is used.	X
7.3.2	Central Count Location Security	
7.4	Vendors shall develop and document in detail the measures to be taken in a central counting environment. These measures shall include physical and procedural controls related to the handling of ballot boxes, preparing of ballots for counting, counting operations and reporting data. Software Security	X
7.4.1	Software and Firmware Installation	
	The system shall meet the following requirements for installation of software, including hardware with embedded firmware.	
a	If software is resident in the system as firmware, the vendor shall require and state in the system documentation that every device is to be retested to validate each ROM prior to the start of elections operations.	X
b	To prevent alteration of executable code, no software shall be permanently installed or resident in the voting system unless the system documentation states that the jurisdiction must provide a secure physical and procedural environment for the storage, handling, preparation, and transportation of the system hardware.	X
С	The voting system bootstrap, monitor, and device-controller software may be resident permanently as firmware, provided that this firmware has been shown to be inaccessible to activation or control by any means other than by the authorized initiation and execution of the vote counting program, and its associated exception handlers.	X

VVSG Req. No.	2005 VVSG Volume I Functional Requirement Matrix	REQUIREMENTS MET
Vol. I	Voting System Performance Guidelines	
7.4	Software Security	
7.4.1	Software and Firmware Installation	
d	The election-specific programming may be installed and resident as firmware, provided that such firmware is installed on a component (such as a computer chip) other than the component on which the operating system resides.	X
e	After initiation of election day testing, no source code or compilers or assemblers shall be resident or accessible.	Х
7.4.2	Protection Against Malicious Software	
	Voting systems shall deploy protection against the many forms of threats to which they may be exposed such as file and macro viruses, worms, Trojan horses, and logic bombs. Vendors shall develop and document the procedures to be followed to ensure that such protection is maintained in a current status.	X
7.4.4	Software Distribution	
а	The vendor shall document all software including voting system software, third party software (such as operating systems and drivers) to be installed on the certified voting system, and installation programs.	X
i	The documentation shall have a unique identifier (such as a serial number or part number) for the following set of information: documentation, software vendor name, product name, version, the certification application number of the voting system, file names and paths or other location information (such as storage addresses) of the software.	Х
ii	The documentation shall designate all software files as static, semi-static or dynamic. Discussion: Static voting system software such as executable code does not change based on the election being conducted or the voting equipment upon which it is installed. Semi- static voting system software contains configuration information for the voting system based on the voting equipment that is installed and the election being conducted. Semi-static software is only modified during the installation of (a) the voting system software on voting equipment or (b) the election-specific software such as ballot formats. Dynamic voting system software changes over time once installed on voting equipment. However, the specific time or value of the change in the dynamic software is usually unknown in advance, making it impossible to create reference information to verify the software.	X
b	The EAC accredited testing lab shall witness the final build of the executable version of the certified voting system software performed by the vendor.	X
i	The testing lab shall create a complete record of the build that includes: a unique identifier (such as a serial number) for the complete record; a list of unique identifiers of unalterable storage media associated with the record; the time, date, location, names and signatures of all people present; the source code and resulting executable file names; the version of voting system software; the certification application number of the voting system; the name and versions of all (including third party) libraries; and the name, version, and configuration files of the development environment used for the build.	X

VVSG Req. No.	2005 VVSG Volume I Functional Requirement Matrix	REQUIREMENTS MET
Vol. I	Voting System Performance Guidelines	
7.4	Software Security	
7.4.4	Software Distribution	
	The record of the source code and executable files shall be made on unalterable storage media. Each piece of media shall have a unique identifier.	
ii	Discussion: Unalterable storage media includes technology such as a CD-R, but not CD-RW. The unique identifiers appear on indelibly printed labels and in a digitally signed file on the unalterable storage media.	X
iii	The testing lab shall retain this record until notified by the EAC that it can be archived.	Х
с	After EAC certification has been granted, the testing lab shall create a subset of the complete record of the build that includes a unique identifier (such as a serial number) of the subset, the unique identifier of the complete record, a list of unique identifiers of unalterable storage media associated with the subset, the vendor and product name, the version of voting system software, the certification number of the voting system, and all the files that resulted from the build and binary images of all installation programs.	Х
i	The record of the software shall be made on unalterable storage media. Each piece of media shall have a unique identifier.	Х
ii	The testing lab shall retain a copy, send a copy to the vendor, and send a copy to the NIST National Software Reference Library (NSRL)2 and/or to any repository designated by a State.	X
iii	The NSRL shall retain this software until notified by the EAC that it can be archived.	Х
d	The vendor shall provide the NSRL and any repository designated by a state with a copy of the software installation disk, which the vendor will distribute to purchasersincluding the executable binary images of all third party software.	X
i	All voting system software, installation programs and third party software (such as operating systems and drivers) used to install or to be installed on voting system equipment shall be distributed using unalterable storage media.	X
ii	The vendor shall document that the process used to verify the software distributed on unalterable storage media is the certified software by using the reference information provided by the NSRL or other designated repository before installing the software.	X
e	The voting system equipment shall be designed to allow the voting system administrator to verify that the software is the certified software by comparing it to reference information produced by the NSRL or other designated repository.	X
f	The vendors and testing labs shall document to whom they provide voting system software.	X
7.4.6	Software Setup Validation	
a	Setup validation methods shall verify that no unauthorized software is present on the voting equipment.	X
b	The vendor shall have a process to verify that the correct software is loaded, that there is no unauthorized software, and that voting system software on voting equipment has not been modified, using the reference information from the NSRL or from a State designated repository.	x

VVSG Req. No.	2005 VVSG Volume I Functional Requirement Matrix	REQUIREMENTS MET
Vol. I	bl. I Voting System Performance Guidelines	
7.4	Software Security	
7.4.6	Software Setup Validation	
i	The process used to verify software should be possible to perform without using software installed on the voting system.	Х
ii	The vendor shall document the process used to verify software on voting equipment.	X
iii	The process shall not modify the voting system software on the voting system during the verification process.	Х
с	The vendor shall provide a method to comprehensively list all software files that are installed on voting systems.	Х
d	The verification process should be able to be performed using COTS software and hardware available from sources other than the voting system vendor.	X
i	If the process uses hashes or digital signatures, then the verification software shall use a FIPS 140-2 level 1 or higher validated cryptographic module.	X
ii	The verification process shall either (a) use reference information on unalterable storage media received from the repository or (b) verify the digital signature of the reference information on any other media.	X
e	Voting system equipment shall provide a means to ensure that the system software can be verified through a trusted external interface, such as a read-only external interface, or by other means.	X
i	The external interface shall be protected using tamper evident techniques	X
ii	The external interface shall have a physical indicator showing when the Interface is enabled and disabled	Х
iii	The external interface shall have a physical indicator showing when the Interface is enabled and disabled	X
iv	The external interface should provide a direct read-only access to the location of the voting system software without the use of installed software	Х
f	Setup validation methods shall verify that registers and variables of the voting system equipment contain the proper static and initial values.	Х
i	The vendor should provide a method to query the voting system to determine the values of all static and dynamic registers and variables including the values that jurisdictions are required to modify to conduct a specific election.	X
ii	The vendor shall document the values of all static registers and variables, and the initial starting values of all dynamic registers and variables listed for voting system software, except for the values set to conduct a specific election.	X
7.5	Telecommunications and Data Transmission	
7.5.1	Maintaining Data Integrity	
	Voting systems that use telecommunications to communicate between system components and locations are subject to the same security requirements governing access to any other system hardware, software, and data function.	X

VVSG Req. No.	2005 VVSG Volume I Functional Requirement Matrix	REQUIREMENTS MET
Vol. I	Voting System Performance Guidelines	
7.5	Telecommunications and Data Transmission	

7.5.1	Maintaining Data Integrity	
b	Voting systems that use telecommunications to communicate between system components and locations before the polling place is officially closed shall:	X
i	Implement an encryption standard currently documented and validated for use by an agency of the U.S. government	X
ii	Provide a means to detect the presence of an intrusive process, such as an Intrusion Detection System	X
7.5.5	-	
	If the voting system provides access to incomplete election returns and interactive inquiries before the completion of the official count, the system shall:	
а	Be designed to provide external access to incomplete election returns (for equipment that operates in a central counting environment), only if that access for these purposes is authorized by the statutes and regulations of the using agency. This requirement applies as well to polling place equipment that contains a removable memory module or that may be removed in its entirety to a central place for the consolidation of polling place returns	X
b	Design voting system software and its security environment such that data accessible to interactive queries resides in an external file or database created and maintained by the elections software under the restrictions applying to any other output report:	X
i	The output file or database has no provision for write access back to the system	Х
ii	Persons whose only authorized access is to the file or database are denied write access, both to the file or database, and to the system	
7.8	Independent Verification Systems	
7.8.1	Overview	
	 Independent verification (IV) systems are electronic voting systems that produce multiple independent cast vote records of voter ballot selections, which can be audited to a high level of precision. For this to happen, the cast vote records must be handled according to the following protocol: At least two cast vote records of the voter's selections are produced and one of the records is then stored in a manner that it cannot be modified by the voting system. For example, the voting system creates a record of the voter's selections and then copies it to unalterable storage media. The voter must be able to verify that both cast vote records are correct and match before leaving the polling place, e.g., verify his or her selections on the voting machine summary screen and also verify the second record on the unalterable storage media. The verification processes for the two cast vote records must be independent of each other, and at least one of the records also can be checked later for consistency through the use of unique identifiers that allow the records to be linked. The cast vote records would be formatted so that at least one set is usable in an efficient counting process by the electronic voting system and the other set is usable in an efficient process of auditing or verifying the agreement between the two sets. 	Х

ATTACHMENT C SECURITY WOP SUITES

VOLUME I	VOTING SYSTEMS GUIDELINES	Vendor:		
SECTION 7	2005 (Ver. 1)	Job Number:		
Security Requirements		Date:		
Test Title: Security Requirements				
Requirements Reference: VVSG Volume I, Se	ections 7 Security Requirements and Section	n 2.1.4 h. Integrity		
Test Description: The objectives of the securit	y standards for voting systems are:			
To protect critical elements of the voting system				
To establish and maintain controls to minimiz				
To protect the system from intentional manipu				
To identify fraudulent or erroneous changes to	o the voting system			
To protect secrecy in the voting process				
Maintenance of a permanent record of original a authorized officials in order to adjust for errors of				
Applicability: Security requirements apply to the apply to the broad range of hardware, softwa These requirements apply to those components	re, communications components, and docu			
Provided by the voting system vendor and the	e vendor's suppliers			
 Furnished by an external provider (i.e., prov capable of being used during voting system o 	iders of personal computers and COTS op peration	erating systems) where the components are		
Developed by a voting jurisdiction				
The requirements apply to all software used in software or the ownership and location of the software that operates on:	any manner to support any voting-related hardware on which the software is installed	activity, regardless of the ownership of the d or operated. These requirements apply to		
 Voting devices and vote counting devices inst 	alled at polling places under the control or a	uthority of the voting jurisdiction		
 Ballot printers, vote counting devices, and o facilities) 	other hardware typically installed at centra	I or precinct locations (including contractor		
Acceptance Criteria: The voting system must	t successfully guard against the following ris	ks:		
 Unauthorized changes to system capabilities Defining ballot formats 	for:			
 Casting and recording votes 				
 Calculating vote totals consistent with Reporting vote totals 	defined ballot formats			
 Alteration of voting system audit trails 				
 Changing, or preventing the recording of, a vo Introducing data for a vote not cast by a registion 		,		
Changing calculated vote totals				
 Preventing access to vote dataincluding individual votes and vote totals—by unauthorized individuals Preventing access to voter identification data and data for votes cast by the voter such that an individual can determine the content of 				
specific votes Requirements for software distribution to purchasing jurisdictions 				
	Page 1 of 14			
WHVS07.WoP 6 WYLE LABORATORIES, INC.				
Huntsville, AL October 22, 2007				
Decoment is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL				

•	Generation	of reference	information	to validate	software
---	------------	--------------	-------------	-------------	----------

Validation of software using the reference information ٠

Requirements regarding the use of wireless communications
Requirements for DREs with voter verifiable paper trail components

Verification of security measures for telecommunication and data transmission, including access control, data integrity, detection and prevention of data interception, and protection against external threats.

Test Data Required: Test Plan, Receiving Inventory, TDP, WoP 6a - WoP 6d.

Test Requirement/Procedure:

Instructions:

Complete the following table:

Provide a reason where shown for all test steps marked N/A.

Section A: System Identification

Vendor Name:	System Name:
	Version submitted for Test certification:
Security Test Method conducted in period: enter dates	From:/ To:/
Test Location(s):	
Project Engineer:	

For each test step in the following table (Section B), check the appropriate status box. The status definitions indicate the Pass/Fail status of each test step and are specifically defined as follows:

- P The test step has Passed or is satisfactorily complete.
 F The test step has Failed or a non-conformance to the expected result has occurred.
- 3. NA - This test step is Not Applicable - indicate briefly the reason under Comments.

U - This test was not executed. (Enter explanation under Comments when the test procedure has been 4. executed)

Page 2 of 14 WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

	ACTION		lete) / Fail / NA Comments / Data ested and Ref. to Anomalies
#			
1a	Configuration Baseline - Hardwa	are	
	step.	ing. ensure TDP passed ues concerning that documented in en Pass this test	NA UU
	o Review issues	with PM/Vendor.	
1a.1	Record test equipment Hardwar #'s, Serial Numbers in table belo Hardware (Vendor proprietary –	ow.	
	1. Product:	Model:	Serial #:
	2. Product:	Model:	Serial #:
	A Product:	Model:	Serial #:
	5 Product:	Model: Model:	Serial #:
	6 Product:	Model:	Serial #:
	0. 1100000.	Model:	Serial #:
	7. Product:		0
	7. Product:	Model:	Serial #:
	7. Product: 8. Product:	Model:	Serial #: Serial #:
	7. Product: 8. Product: 9. Product:	Model: Model: Model:	Serial #:
1a.2	 Product:	Model: Model: Model: inued on additional pages: Total Nu uters, storage devices etc.): Model: Model:	Serial #: Serial #: umber of Items listed: Serial #: Serial #:
1a.2	 Product: Product: Product: Product: Check if List is contained by the second second	Model: Model: Model: inued on additional pages: Total Nu uters, storage devices etc.): Model: Model: Model:	Serial #: serial #: umber of Items listed: Serial #: Serial #: Serial #:
1a.2	 Product:	Model: Model: Model: uters, storage devices etc.): Model: Model: Model: Model: Model: Model:	Serial #: serial #: Serial #: Serial #: Serial #: Serial #:
1a.2	 Product:	Model: Model: Model: Model: Model: Model: Model: Model: Model: Model: Model: Model: Model: Model:	Serial #: serial #: Serial #: Serial #: Serial #: Serial #: Serial #:
1a.2	 Product: Product: Product: Product: Check if List is contained by the second second	Model: Model: Model: Model: Model: Model: Model: Model: Model: Model: Model: Model: Model: Model: Model: Model: Model:	Serial #:
1a.2	 Product: Product: Product: Product: Check if List is contained by the second second	Model: Model: Model: Model: inued on additional pages: Total Nu uters, storage devices etc.): Model: Model: Model:	Serial #:
1a.2	 Product: Product: Product: Product: Check if List is contained by the second second	Model: Model: Model: Model: inued on additional pages: Total Nu uters, storage devices etc.): Model: Model: Model:	Serial #: Serial #: umber of Items listed: Serial #: Serial #:
la.2	 Product:	Model: Model: Model: Model: inued on additional pages: Total Nu uters, storage devices etc.): Model: Model: Model:	Serial #:

Page 3 of 14 WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

1a.3 Software (Proprietary e.g. EMS components -- Ballot Generation, Tally...)

1.	Product:	Model:	Serial #:
2.	Product:	Model:	Serial #:
3.	Product:	Model:	Serial #:
4.	Product:	Model:	Serial #:
5.	Product:	Model:	Serial #:
6.	Product:	Model:	Serial #:
7.	Product:	Model:	Serial #:
8.	Product:	Model:	Serial #:
9.	Product:	Model:	Serial #:
10.	Product:	Model:	Serial #:

Check if List is continued on additional pages: 🗌 Total Number of Items listed: _____

Software (COTS e.g. Windows OS, ...)

1.	Product:	Model:	Serial #:
2.	Product:	Model:	Serial #:
3.	Product:	Model:	Serial #:
4.	Product:	Model:	Serial #:
5.	Product:	Model:	Serial #:
6.	Product:	Model:	Serial #:
7.	Product:	Model:	Serial #:
8.	Product:	Model:	Serial #:
9.	Product:	Model:	Serial #:
10.	Product:	Model:	Serial #:

Check if List is continued on additional pages:
Total Number of Items listed:

Page 4 of 14 WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

STEP	ACTION	Pass (or Complete) / Fail / NA / Untested	Comments / Data and Ref. to Anomalies
# 2	Risk: Unauthorized changes to the system capabilities for defining ballot formats.		Reference the TDP section addressing this test step.
	Review the vendor's TDP (esp. system capabilities and safeguards).		
	Verify that the TDP documents how the system is able to		
	a. Detect the unauthorized change.	a. P F F NA U	a
	b. Prevent the unauthorized change.	b. P F NA U	b
	c. Log the unauthorized change.	c. P F NA U	с
	d. Recover from the unauthorized change to ballot definitions.	d. P 🗍 F 🗌 NA 🗌 U 🗌	d
3	Risk: Unauthorized changes to the system capabilities for Casting and recovering votes		Reference the TDP section addressing this test step.
	Review the vendor's TDP (esp. system capabilities and safeguards).		
	Verify that the TDP documents how the system is able to		
	a. Detect the unauthorized change.	a. P F NA U	a
	b. Prevent the unauthorized change.	b. P F NA U	b
	c. Log the unauthorized change.	c. P F NA U	c
	d. Recover from the unauthorized change affecting Casting and recovering votes.	d. P F NA U	d

Page 5 of 14 WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

4	Risk: Unauthorized changes to the system capabilities for Calculating vote totals consistent with defined ballot formats		Reference the TDP section addressing this test step.		
	Review the vendor's TDP (esp. system capabilities and safeguards).				
	Verify that the TDP documents how the system is able to…				
	a. Detect the unauthorized change.	a. P F NA U	a		
	b. Prevent the unauthorized change.	b. P F F NA U	b		
	c. Log the unauthorized change.	c. P□ F□ NA□ U□	c		
	d. Recover from the unauthorized change affecting calculation of vote totals.	d. P F NA U	d		
5	<u>Risk: Unauthorized changes to the system capabilities</u> for Reporting vote totals		Reference the TDP section addressing this test step.		
	Review the vendor's TDP (esp. system capabilities and safeguards).				
	Verify that the TDP documents how the system is able to				
	a. Detect the unauthorized change.	a. P F NA U	a		
	b. Prevent the unauthorized change.	b. P F NA U	b		
	c. Log the unauthorized change.	c. P□ F□ NA□ U□	C		
	d. Recover from the unauthorized change affecting the Reporting of vote totals.	d. P F F NA U	d		
	Page 6 of 14				

WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

4	Risk: Unauthorized changes to the system capabilities for Calculating vote totals consistent with defined ballot formats		Reference the TDP section addressing this test step.		
	Review the vendor's TDP (esp. system capabilities and safeguards).				
	Verify that the TDP documents how the system is able to…				
	a. Detect the unauthorized change.	a. P F NA U	a		
	b. Prevent the unauthorized change.	b. P F F NA U	b		
	c. Log the unauthorized change.	c. P□ F□ NA□ U□	c		
	d. Recover from the unauthorized change affecting calculation of vote totals.	d. P F NA U	d		
5	<u>Risk: Unauthorized changes to the system capabilities</u> for Reporting vote totals		Reference the TDP section addressing this test step.		
	Review the vendor's TDP (esp. system capabilities and safeguards).				
	Verify that the TDP documents how the system is able to				
	a. Detect the unauthorized change.	a. P F NA U	a		
	b. Prevent the unauthorized change.	b. P F NA U	b		
	c. Log the unauthorized change.	c. P□ F□ NA□ U□	C		
	d. Recover from the unauthorized change affecting the Reporting of vote totals.	d. P F F NA U	d		
	Page 6 of 14				

WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

6	Risk: Alteration of voting audit trails.		Reference the TDP section addressing this test step.
	Review the vendor's TDP (esp. system capabilities and safeguards).		
	Verify that the TDP documents how the system is able to		
	a. Detect the alteration of the voting audit trail.	a. P F NA U	a
	b. Prevent the alteration of the voting audit trail.	b. P F NA U	D
	c. Log the alteration of the voting audit trail.	c. P F F NA U] c
	d. Recover from the alteration of the voting audit trail.	d. P F NA U	d
7	Risk: Changing, or preventing the recording of, a vote.		Reference the TDP section addressing this test step.
	Review the vendor's TDP (esp. system capabilities and safeguards).		
	Verify that the TDP documents how the system is able to		
	a. Detect this risk.	a. P F NA U	a
	b. Prevent this risk.	b. P F NA U	b
	c. Log this risk.	c. P F F NA U	<i>c.</i>
	d. Recover from the attempt to change or prevention of the recording of a vote.	d. P F F NA U	d
			7104FL

Page 7 of 14 WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

8	Risk: Introducing data for vote not cast by a register voter.			Reference the TDP section addressing this test step.
	Review the vendor's TDP (esp. system capabilities and safeguards).			
	Verify that the TDP documents how the system is able to			
	a. Detect this risk.	a. P 🗌 F 🗌		a
	b. Prevent this risk.	b. P 🗌 F 🗌		b
	c. Log this risk.	c. P F		с
	d. Recover from the attempt to introduce data for a vote not cast by a register voter.	d. P 🗍 F 🗍	NA UU	d
9	Risk: Changing calculated vote totals.			Reference the TDP section addressing this test step.
	Review the vendor's TDP (esp. system capabilities and safeguards).			
	Verify that the TDP documents how the system is able to			
	a. Detect a change to the calculated vote totals.	a. P 🗌 F 🗌		a
	b. Prevent this risk.	b. P 🗌 F 🗌		b
	c. Log this risk.	c. P 🗌 F 🗌		<i>c</i>
	d. Recover from the unauthorized attempt to change the calculated vote totals.	d. P 🗌 F 🗌	NA U	d

Page 8 of 14 WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

10	Risk: Preventing access to vote data including individual votes and vote totals by unauthorized individuals.		Reference the TDP section addressing this test step.
	Review the vendor's TDP (esp. system capabilities and safeguards).		
	Verify that the TDP documents how the system is able to…		
	a. Detect this risk.	a. P F F NA U	a
	b. Prevent this risk.	b. P F F NA U	b
	c. Log this risk.	c. P F NA U	c
	d. Recover from an unauthorized attempt to access vote data, votes and vote totals.	d. P F F NA U	d
11	Risk: Preventing access to voter identification data and data for votes cast by voter such that an individual can determine the content of specific votes.		Reference the TDP section addressing this test step.
	Review the vendor's TDP (esp. system capabilities and safeguards).		
	Verify that the TDP documents how the system is able to…		
	a. Detect this risk.	a. P F NA U	a
	b. Prevent this risk.	b. P F NA U	b
	c. Log this risk.	c. P F NA U	c
	d. Recover from an unauthorized attempt to access voter identification data and data for votes cast by voter such that an individual can determine the content of specific votes.	d. P F NA U	d
•	Report any discrepancies (indications of Failed test step	es) in accordance with accepte	d anomaly reporting.

Page 9 of 14 WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

	Section C: Access Cont	trols Security Testing	\ <u>+</u>
STEP	ACTION	Pass (or Complete) / Fail / NA / Untested	Comments / Data and Ref. to Anomalies
# 1	Access Controls and system capabilities Review the vendor's TDP (<u>esp. Access Control</u> <u>Policies</u>).		Reference the TDP section addressing this test step.
	From this review verify that the vendor's access control policies, procedures and system capabilities address the following concerns:	a. P F NA U	a
	 a) Software access controls b) Hardware access controls c) Communications d) Effective password management 	c. P F NA U	c
	 e) Protection abilities of a particular operating system. f) General characteristics of supervisory 	d. P F NA U	d
	access privileges g) Segregation of duties h) Any additional relevant characteristics.	e. P□ F□ NA□ U□ f. P□ F□ NA□ U□	e
	, ,	g. P F NA U	g
	(Indicate TDP ref. in comments column)	h. P F NA U	h
2	Individual Access Privileges Review the vendor's TDP (<u>esp. Access Control</u> <u>Policies</u>).		Reference the TDP section addressing this test step.
	From this review verify that the vendor's access control policies, procedures and system capabilities are able to:		
	 a) Identify each person, to whom access is granted, and the specific functions and data to which each person holds authorized access. 	a. P 🗍 F 🗌 NA 🗌 U 🗌	a
	 b) Specify whether an individual's authorization is limited to a specific time, time interval, or phase of the voting or counting operations. 	b. P F NA U	b
	 c) Permit the voter to cast a ballot expeditiously, but preclude voter access to all other aspects of the vote-counting processes. 	c. P F F NA U	c
	(Indicate TDP ref. in comments column)		

Page 10 of 14 WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

3	Access Control Measures Review the vendor's TDP (<u>esp. Access Control</u> <u>Policies and Measures</u>).					Reference the TDP section addressing this test step.
	From this review verify that the vendor's access control measures are designed to permit authorized access to the system and prevent unauthorized access in the following areas:					
	 a) Use of data and user authorization; b) Program unit ownership and other regional boundaries; 	a. P🗌	F	NA	U	a
	 c) One-end or two-end port protection devices; d) Security kernels; 	b. P🗌	F□	NA	υ	b
	 e) Computer-generated password keys; f) Special protocols; 	c. P🗌	F	NA	υÜ	<i>c</i>
	g) Message encryption; andh) Controlled access security.	d. P[]	F	NA	U□	d
	(Indicate TDP ref. in comments column)	e. P[]	F□		U□	e
	,	f. P□	F	NA	υ🗆	f
		g. P🗌	F	NA	υ□	g
		h. P[]	F□	NA	U	h
	Actual test and Verification					List any specific findings from WoP 6a.
	Conduct WoP 6a to help verify that the previous steps are indeed implemented within the voting system.	P□	F	NA	U	

WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

Section D: Physical Security Testing						
STEP	ACTION	Pass (or Complete) / Fail / NA / Untested	Comments / Data and Ref. to Anomalies			
# 1	Polling Place Security Review the vendor's TDP <u>(esp. in regard to Polling</u> <u>Place security measures</u>).		Reference the TDP section addressing this test step.			
	From this review verify that the vendor addresses issues and measures to:					
	a) Allow the immediate detection of tampering with vote casting devices and precinct ballot	a. P F I NA U	a			
	counters; and b) Control physical access to a telecommunications link <i>if</i> such a link is used.	b. P F NA U	b			
	(Indicate TDP ref. in comments column)					
	Central Count Location Security Review the vendor's TDP (<u>esp. in regard to the</u> <u>Central Count environment</u>).		Reference the TDP section addressing this test step.			
	From this review verify that the vendor addresses issues and measures relating to:	a. P 🗍 F 🗌 NA 🗌 U 🗌	a			
	 a) Handling of ballot boxes; b) Preparing of ballots for counting; c) Counting constituent and 	b. P F NA U	b			
	c) Counting operations; andd) Reporting data.	c. P□ F□ NA□ U□	c			
	(Indicate TDP ref. in comments column)	d. P F F NA U	d			
3.	Actual test and Verification		List any specific findings from WoP 6b.			
:	Conduct WoP 6b to help verify that the previous steps are indeed implemented within the voting system.	P_ F_ NA_ U_				

Page 12 of 14 WHVS07.WoP 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

ΈP	ACTION	Pass (or Complete) / Fail / NA / Untested	Comments / Data
#	(REF 7.4.1) Software and Firmware Installation Review the vendor's TDP <u>(esp. Software and</u> <u>Firmware Installation)</u>	NA / Untested	and Ref. to Anomalies Reference the TDP section addressing this test step.
	From this review verify that the vendor's software and installation documentation states that:		
	 Every device is to be retested to validate each ROM prior to the start of elections operations (for software resident in the system as firmware) 	a. P F NA U	a
	 b) To prevent alteration of executable code, software shall be permanently installed o resident in the system unless the system documentation states that the jurisdiction must provide a secure physical and procedural environment for the storage, handling, preparation, and transportation 	r b.P. F. NA U	Ь
	 the system hardware; c) The system bootstrap, monitor, and device controller software may be resident permanently as firmware, provided that the firmware has been shown to be inaccessite to activation or control by any means oth than by the authorized initiation and execution of the vote-counting program, 	ce- c.PDFNAUU nis Ible er	с
	 its associated exception handlers; d) The election-specific programming may be installed and resident as firmware, provious that such firmware is installed on a component (such as computer chip) othe than the component on which the operation 	De d.P. F. NA U.	d
	system resides; and e) After initiation of Election Day testing, no source code or compilers or assemblers shall be resident or accessible.	e. P F F NA U	e
	(Indicate TDP ref. in comments column)		

WH VS07.w07 6 WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

2	Protection against Malicious Software Review the vendor's TDP (<u>esp. Protection</u> <u>malicious software</u>) From this review verify that the vendor I documents:						Reference the TDP section addressing this test step.
	 a) How the system deploys protect the many forms of threats to wh be exposed such as file and ma worms, Trojan horses, and logi b) The procedures to be followed 	nich they may acro viruses, c bombs.	a. P∏	F	NA	υ	a
	such protection is maintained in status.	n a current	b. P[]	F	NA	υ	b
	(Indicate TDP ref. in comments column)						
3	Actual test and Verification						List any specific findings from WoP 6c.
	Conduct WoP 6c to help verify that the p steps are indeed implemented within the system.		P	F	NA	U	
Model: S/N:	SPECIAL/MAJOR TEST SUPPORT EQUIPMENT:						
ASSESS	MENT/RESULTS/OBSERVATIONS/REMA	RKS:	<u>.</u>			<u> </u>	
PASS	FAIL NOTICE OF ANOMALY I	NO					

Signed	

Approved ____

Page 14 of 14 WHVS07.WoP 6

WIL'SU', WOL'SU', WYLE LABORATORIES, INC. Huntsville, AL October 22, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

	VOLUNTARY VOTING SYSTEMS	Vendor:				
SECTION 6.4						
Security	GUIDELINES 2005 (Ver. 1)	Job Number:				
		Date:				
Test Title: Generic Security Tes	ts for WoP 6					
Requirements Reference: Volu	me II, Sections 6.4					
Test Description: The test step applicable to the voting system i and turnaround time to the vend	s in this WoP are generic in nature and can b t will be used for testing the system. This allo or.	e executed individually. If a step is ws Wyle Laboratories a timely reporting				
Determine the exact access sec	urity tests and any additional tests required af	ter completing WoP 6.				
NOTE: Tests performed will be be adjusted due to spec	dependent on the type of operating system (C cifics of the OS (e.g. hardened OS, different fli	DS) of the EMS. Some tests may need to avor of Unix, etc.).				
Applicability: Electronic Voting	· · · · · · · · · · · · · · · · · · ·					
Acceptance Criteria: Access a	and Software Security Elements work as spec	ified by the vendor in the TDP.				
Test Data Required: WoP 6, E	ngineering Notebook notes, TDP.					
Test Requirement/Procedure:						
Step 1: Checking the security m	nanagement at operating system level (Windo	ows).				
Step 1a: From the	Start Menu, select Run and type "mmc"					
	file menu select "add/remove snap-in"					
	l, then select "Security Configuration and Ana	lysis", click add then close, Lastly click				
OK Step 1d: Click add, then Right click, select "open database"						
	Step 1d: Click add, then Right Click, select open database Step 1e: Select "security.sdb". If not shown it is usually located under (mydoc/security/database)					
	Step 1f: Click "open", View/Check any pertinent settings to include but not limited to;					
	Account Policies (Password, Account Lockout)					
	Policies (Audit, User Rights, Security)					
Event						
Step 1g: Close the	e mmc window, DO NOT save					

Page 1 of 3 WHVS07.WoP 6a WYLE LABORATORIES, INC. Huntsville, AL August 23, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

.

Step 2: Checking file permissions of key file and data objects (Windows).			
NOTE: The steps listed here can be performed manually using the "cacls" command from the DOS prompt if the system does not permit the loading or running of batch files.			
Step 2a:	Review TDP and make list of vital files and data objects to the voting system where Integrity is a must (e.g. database, audit logs, etc.)		
·	Create a text document "permchk.txt". In the document list the <u>complete</u> directory path (to include the file name) of all the objects to be checked, one per line.		
Step 2c: @echo o	In notepad copy the following lines: ff		
	t of file permissions" > permissions.txt ebackq delims=" %%a in (permchk.txt) do (
cacls %9	ba >> permissions.txt		
)			
	Save using quotes "perm.bat" Load both these files onto the system (in the same directory).		
	Open the command prompt to the directory where the files are located. TYPE "perm.bat"		
Step 2g:	When the batch file has finished running open "permissions.txt" and check the permissions on the objects. Note any discrepancies (e.g. audit logs being editable by any user, program being		
Step 2h:	executable by unprivileged user, etc.). When finished permanently delete all three files from the system (perm.bat, permchk.txt,		
	permissions.txt) using SHIFT/DELETE.		
Stop 3: Checking file	normissions of key file and data objects (Unix)		
Step 3: Checking file permissions of key file and data objects (Unix).			
The type of sl Remember if	NOTES: The steps listed here can be run from within a script if the system allows loading and running of shell scripts. The type of shell script used will be dependent on the build and flavor of the Unix system. Remember if using a script; after loading it to use "chmod" command to make it executable and delete all files when finished.		
Step 3a:	Review TDP and make list of vital files, directories and data objects to the voting system where		
	Integrity is a must (e.g. shadow file, database, audit logs, etc.) Find all files on the system that are world writable using (without brackets);		
•	[find / -perm -0002 -exec ls -! {} \; > /tmp/0002prem.txt]		
Step 3c:	Find files in /etc owned by root with read and execute permissions to the group and other users;		
Step 3d:	[find /etc -user root -perm 655 -exec Is -I {} \; > /tmp/655prem.txt] Find files in /etc that are owned by root and that have read and write permission set for both the group and everybody;		
Ot 0	[find /etc -user root -perm 644 -exec Is -! {} \; > /tmp/644prem.txt]		
	Run any other find statements pertinent to the list from step 3a. Change to the tmp directory and use vi or cat to view the text files and check permissions from the list in step 3a. Note any discrepancies (e.g. a protected file being world writable).		
NOTE:	Check to make sure sticky bit is being used properly (t-bit, s-bit). Permissions key below;		
	777 is rwx rwx		
	655 is rw - r - xr - x 644 is rw - r r		
	400 is r		

Page 2 of 3 WHVS07.WoP 6a WYLE LABORATORIES, INC. Huntsville, AL August 23, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

Model:	SPECIAL/MAJOR TEST SUPPORT EQUIPMENT:	
S/N:		
ASSESSMENT/RESULTS/OBSERVATIONS/REMARKS:		
PASS FAIL NOTICE OF ANOMALY NO		

Signed _____ Approved _____

Page 3 of 3 WHVS07.WoP 6a WYLE LABORATORIES, INC. Huntsville, AL August 23, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

VOLUME II	VOLUNTARY VOTING SYSTEMS	Vendor:	
SECTION 6.4.1			
Security	GUIDELINES 2005 (VER 1)	Job Number:	
Physical		Date:	
Test Title: Security Access Control	ol Requirements (Physical Security)		
Requirements Ref: VVSG Volum	e Il Section 6.4.		
Test Description: Wyle Laboratories will conduct tests of system capabilities and review the access control policies and procedures submitted by the vendor to identify and verify the access control features implemented as a function of the system. For those access control features built in as components of the voting system, the Wyle Laboratories will design tests to confirm that these security elements work as specified.			
Determine if any additional physic	al security tests are required after comple	ting WoP 6.	
Applicability: Electronic voting systems			
Acceptance Criteria: Physical Security Elements work as specified by the vendor in the TDP. No access is allowed to internal components of the voting system and election integrity cannot be comprised.			
Test Data Required: WoP 6, Eng	gineering Notebook notes, TDP.		
Test Requirement/Procedure:			
 Step 1: Review WoP 6 and the TDP. List all access control procedures and capabilities. Step 2: Configure voting system as per TDP. Step 3: Perform Operation Status Check (WoP 1). The general election will be loaded and utilized for this procedure WoP 30a Test Case GEN-01). Step 4: Ensure the voting system operates as specified in the TDP. 			
	nd ensure that seals or locks provide aining access to the systems internal	P F NA U	
seals or locks and detern	en the panels without removing the nine the amount of access that can be will be checked to ensure they are of t easily compromised.)	P F NA U	
Step 7: Verify that ballot storage Personnel will try to retrie any seals.	devices (if utilized) are secure. eve and insert ballots without removing	P F NA U	
paper, ink) can be chang ballots or internal voting open access areas for ch	nust be accessed by the poll worker (ex, ed without providing access to the system components. Personnel will langing supplies and try and enter the internal areas of the voting system.	P F NA U	
other than authorized per TDP where these points	ter cannot be reset by any other person rsons at authorized points. Verify in the are. With the polls open, and prior to a will try and reset the ballot counter.	P F NA U	

Page 1 of 3 WHVS07.WoP 6b WYLE LABORATORIES, INC. Huntsville, AL August 23, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

Step 10: Audio Security		
 Enable audio voting and have one technician wear headphones to vote: Ensure that audio levels are within required range (The machine shall provide an adjustable volume control from 20 to 100 dB SPL). Use external microphone and audio meter or sound system as an audio listing device to determine if any sounds can be heard that are discernable outside the voting area. 		
 Step 11: Personnel will try and bypass or otherwise defeat the resulting security environment. These tests will include simulation of attempts to physically destroy components of the voting system in order to validate the correct operation of system redundancy and backup capabilities. Personnel will disable printer and ensure election results are still retrievable via electronic means. Personnel will disable Voter Access port and ensure that the voting systems results can still be obtained. Personnel will remove power from the machine and determine the effect on the voting system. 		
Step 12: If there are any external I/O connections (or port jacks (phone, Ethernet) uncovered operation time personnel will check to see disabled. If live personnel should try and p system through that point.	during normal if connection is	P F NA U
Model:	SPECIAL/MAJOR TEST SU	IPPORT EQUIPMENT:
S/N:	See Instrumentation Equi	pment Sheet
ASSESSMENT/RESULTS/OBSERVATIONS/REMARKS:		
PASS FAIL NOTICE OF ANOMALY		
	NO:	

Page 2 of 3 WHVS07.WoP 6b

WYVS//WOF 00 WYLE LABORATORIES, INC. Huntsville, AL August 23, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL Signed _____ Approved _____

Page 3 of 3 WHVS07.WoP 6b WYLE LABORATORIES, INC. Huntsville, AL August 23, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

VOLUME II	VOLUNTARY VOTING SYSTEMS	Vendor:	
SECTION 6.4			
Security	GUIDELINES 2005 (VER 1)	Job Number:	
Software		Date:	
Test Title: Software Security Requirements			
Requirements Ref: VVSG Volume II Section	6.4.		
Test Description: Wyle Laboratories will conduct tests of system capabilities and review the access control policies and procedures submitted by the vendor to identify and verify the access control features implemented as a function of the system. For those access control features built in as components of the voting system, the Wyle Laboratories will design tests to confirm that these security elements work as specified.			
Determine if any additional physical security to	ests are required after completing WoP 6.		
NOTE: Software security testing is incorporated in to the System Integration Testing and Source Code review. Wyle Laboratories may meet these testing requirements by confirming proper implementation of proven commercial security software. In this case, the vendor must provide the published standards and methods used by the U.S. Government to test and accept this software, or it may provide references to free, publicly available publications of these standards and methods, such as government web sites.			
Applicability: Electronic voting systems			
Acceptance Criteria: Software Security Eler	nents work as specified by the vendor in th	ne TDP.	
Test Data Required: Engineering Notebook notes, TDP.			
Test Requirement/Procedure: Step 1: Review WoP 6 and the TDP. List all	access control procedures and conshilition		
Step 2: Configure voting system as per TDP.		».	
Step 3: Perform Operation Status Check (Wo	P 1). The general election will be loaded a	and utilized for this procedure (WoP 30a Test	
Case GEN-02). Step 4: Ensure the voting system operates as specified in the TDP.			
Step 4: Verify that all software and firmware in as stated in the vendor's documentati	on. For a PC-based system this can be		
accomplished by using the Windows	Explorer to document what files are		
	can be accomplished with the use of an	P	
eprom reader, pc card reader or other such device to check the files installed on the various types of chips installed in the hardware component.			
Step 5: Verify that the vendor has provided a way to prevent malicious software from			
threatening the system. On a PC-based system this can be accomplished by			
the installation of a virus protection and spyware protection program. On a P F NA U			
prevent an attack by locking the case.			
Step 6: During software installation verify that the intended software has been installed.			
If on a PC-based system this can be accomplished by using Windows Explorer			
or through the DOS prompt to check t	or through the DOS prompt to check that the files were installed. On a P F NA U		
similar programs using the PC. Be sure to verify the vendor has provided a			
way to verify all installed software.			

Page 1 of 2 WHVS07.WoP 6c WYLE LABORATORIES, INC. Huntsville, AL August 23, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

Step 7: Verify that the vendor prevents malicious software and data corruption from threatening the system. Ensure that disabling of interface and unused I/O connections are done during different modes of operation (i.e. when in voting mode no USB connection is enabled). If on a PC-based system or Kiosk also check to ensure voter cannot corrupt system (e.g. sql injection when in "write in" section of balloting). P[F[NA[U]]		
Model:	SPECIAL/MAJOR TEST SUPPORT EQUIPMENT:	
S/N:	See Instrumentation Equipment Sheet	
ASSESSMENT/RESULTS/OBSERVATIONS/REMARKS:		
PASS FAIL NOTICE OF ANOMALY NO		
Circuit	Approved	
Signed	Approved	

Page 2 of 2 WHVS07.WoP 6c WYLE LABORATORIES, INC. Huntsville, AL August 23, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

	VOLUNTARY VOTING SYSTEMS	Vendor:	
VOLUME II SECTION 6.4.1			
Security	GUIDELINES 2005 (VER 1)	Job Number:	
		Date:	
Test Title: Security Access Control	ol Requirements		
Requirements Ref: VVSG Volum	e II Section 6.4.		
Test Description: Wyle Laboratories will conduct tests of system capabilities and review the access control policies and procedures submitted by the vendor to identify and verify the access control features implemented as a function of the system. For those access control features built in as components of the voting system, the Wyle Laboratories will design tests to confirm that these security elements work as specified.			
Wyle Laboratories may meet these testing requirements by confirming proper implementation of proven commercial security software. In this case, the vendor must provide the published standards and methods used by the U.S. Government to test and accept this software, or it may provide references to free, publicly available publications of these standards and methods, such as government web sites.			
Applicability: Electronic voting systems			
Acceptance Criteria: Access Se	ecurity Elements work as specified by the	vendor in the TDP.	
Test Data Required: WoP 6, En	gineering Notebook notes, TDP.		
Test Requirement/Procedure:			
Step 1: Review WoP 6 and the T	DP and list all access control procedures	and capabilities.	
environment.	velop test cases that can exercise the m		
 Project engineer will dev TDP. 	elop test that check/validate access cont	rol measures of the system stated in the	
	 These tests should be inclusive and validated prior to use. Once the test cases are developed utilize the procedures below: 		
 Step 2: Configure voting system as per TDP. Step 3: Perform Operation Status Check (WoP 1). The general election will be loaded and utilized for this procedure (WoP 30a Test Case GEN-01). Step 4: Ensure the voting system operates as specified in the TDP. 			
Step 5: Personnel will perform all the activities that the jurisdiction will perform in specific accordance with the vendor's access control policy and procedures to create a secure system, including procedures for software and firmware installation. Personnel will determine if there are any safeguards that have been bypassed or not accounted for and the system operates as described. P F NA U NOTE: This step includes performing the tests designed in Step 1.			

Page 1 of 3 WHVS07.WoP 6d WYLE LABORATORIES, INC. Huntsville, AL August 23, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

Step 6:	The assigned personnel will exercise verification of password security management at the operating system level for the EMS. (i.e. user permission level, administration account, guest account, password aging, password limitation, lock out on login attempts, attempt to gain access by by-passing the login requirement).	P F NA U
	NOTE: Perform Step 1 in WoP 6d or an appropriate test for the specific Operating System.	
Step 7:	The assigned personnel will exercise verification of password security management at the application level for EMS (i.e. password aging, password limitations, verify no hard coded passwords, lock out on login attempts, attempt to gain access by by-passing the login requirement).	P 🗋 F 🛄 NA 🗍 U 🗌
	 Perform Step 2 or 3 in WoP 6d or an appropriate test to check the file permissions. Verification that no hard coded passwords should be done in WoP 5 Source Code Review. 	
Step 8:	The assigned personnel will exercise verification of password security management at the component level for each precinct component (i.e. verify roles assigned to card access, verify roles assigned to user accounts, attempt to by login, attempt to locate any back door access).	P 🗍 F 🗌 NA 🗌 U 🛄
	NOTE: This step includes performing the tests designed in Step 1 and checks performed in WoP 6d.	
Step 9:	The assigned personnel will exercise verification of database security management (i.e. password aging, user roles, user permissions: insert, delete, and update, database administration account, ability to access tables, views, stored procedures, indexes, and triggers outside of front end application).	P _ F _ NA _ U _
	NOTE: Perform Step 2 or 3 in WoP 6d or an appropriate test to check the file permissions.	
Step 10	: The assigned personnel will exercise verification of audit log management (i.e. deletions of audit logs, modification of audit log, access to audit logs, direct altering of audit logs files or records, modification of audit file or record).	
	NOTE:	
	 Perform Step 1 in WoP 6d (if Windows OS) or an appropriate test for the specific Operating System. Perform Step 2 or 3 in WoP 6d or an appropriate test to check the file permissions. 	P 🔲 F 🗌 NA 🗌 U 🗌

Page 2 of 3 WHVS07.WoP 6d WYLE LABORATORIES, INC. Huntsville, AL August 23, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL

Model:	SPECIAL/MAJOR TEST SUPPORT EQUIPMENT:
S/N:	See Instrumentation Equipment Sheet
ASSESSMENT/RESULTS/OBSERVATIONS/REMARKS:	
PASS FAIL NOTICE OF ANOMAL	Y NO

Signed _____ Approved ____

Page 3 of 3 WHVS07.WoP 6d WYVS//Wor ou WYLE LABORATORIES, INC. Huntsville, AL August 23, 2007 Document is not controlled when printed. Data is controlled once Vendor and Job number are inserted. PROPRIETARY AND CONFIDENTIAL